

GSA Price Increase +5% May 1st, 2008
(see inside cover for additions and deletions to contracts)



GSA : Special Use Furniture

Authorized Federal Supply Schedule Price List Catalog

FSC Group 71: Part III - Special Use Furniture

Contract Number: GS-27F-0008S

Contract Period: 01.17.2006 to 01.16.2011

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at fss.gsa.gov.

GSA : Office Furniture

Authorized Federal Supply Schedule Price List Catalog

FSC Group 71: Part I - Office Furniture

Contract Number: GS-28F-00014S

Contract Period: 02.17.2006 to 02.16.2011

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at fss.gsa.gov.



GENERAL SERVICES ADMINISTRATION

Federal Supply Service

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The INTERNET address is GSAAdvantage.gov.

softcare
innovative healthcare solutions

Contractor / Contract Administrator

SOFTCARE

675 Davenport Road, Waterloo

Ontario, Canada N2V 2E2

Tel: 1-800-342-8562

Fax: 1-519-745-8580

Business Size: Other

softcare

Softcare's mission is to provide our customers in the healthcare market with the product that will meet their needs for design, functionality and price with the highest level of service.

675 Davenport Road
Waterloo Ontario Canada
N2V 2E2
1-800-342-8562
Fax 519-745-8580

www.softcarein.com

Contract # GS-28F-0014S

Office Furniture FSC Group 71 Part I

Information for ordering activities

1a	SPECIAL ITEM NUMBER:	PAGES	9	VISA AND MASTERCARD:
	711-11 Tables and Accessories	133,138,143,156,157,161		Accepted below with the
	711-16 Upholstered Seating	146-148,161		micropurchase threshold. NOTE
	711-17 Multiple Seating	116-145, 149-150		Prompt payment terms are not
	711-18 Multipurpose Seating	151-156,	10	offered for credit card purchases
	711-19 Stacking Chairs and Dollies or			FOREIGN ITEMS:
	Trucks Designated to Support Chairs	155		All items manufactured in
				Canada
1b	LOWEST PRICE MODEL NUMBER	PAGES	11a	TIME OF DELIVERY:
	711-11 27-1101 \$19	158		90 Days ARO for all items.
	711-16 2707-FS \$154	161		
	711-17 SC-2150 \$128	132	11b	EXPEDITED DELIVERY
	711-18 SC-1220 \$173	151		N/A
	711-19 SC-1051ST \$ 81	156		
2	MAXIMUM ORDER:		11c	OVERNIGHT AND 2-DAY
	711-11 \$ 500,000			DELIVERY: N/A
	711-16 \$ 200,000		11d	URGENT REQUIREMENTS
	711-17 \$ 200,000			N/A
	711-18 \$ 200,000			
	711-19 \$ 200,000		12	F.O.B. POINT:
3	MINIMUM ORDER:			FOB destination including the
	None			following: all carrier freight costs
4	GEOGRAPHIC COVERAGE:			are prepaid by Softcare to the
	48 contiguous states and			customer's location. All orders will
	Washington, D.C.			incur a \$250 drop ship fee for
5	POINT OF PRODUCTION:			the service of providing delivery
	Softcare			onto a customer dock location.
	675 Davenport Road			Customers may receive a waiver of
	Waterloo, ON, CANADA			this drop ship fee for orders that
	N2V 2E2			are picked up by the customer at
6	DISCOUNT FROM LIST PRICES:		13	their option from a Regional
	Prices are NET			Softcare US warehouse
	(Discount deducted).			location.
7	QUANTITY DISCOUNTS:			
	N/A			ORDERING ADDRESS:
8	PROMPT PAYMENT TERMS		14	Softcare
	1% - 25. Net 30 days			675 Davenport Road
				Waterloo, ON, CANADA
				N2V 2E2
				FAX: 519-745-8580
				PAYMENT ADDRESS:
				Same as above.

Information for ordering activities

15 **WARRANTY:** 19
Softcare warrants the products it manufactures to be free from manufacturing defects in material and workmanship under normal use and service for the life of the product from the date of shipment. This warranty applies provided the product is in use by the original owner and has been used only for the original intent. 20a

This warranty is void in cases of damage in transit, negligence, abuse, abnormal usage, misuse, accidents, improper maintenance 20b or product modification. There is no other express warranty. Softcare hereby disclaims all implied warranties including the implied warranty of merchantability and fitness for any particular purpose indicated by Buyer to Softcare. There are no representations as to the capacity or performance of the products sold hereunder except as set forth in the quotation specifications, if any, and such representations are expressly conditioned upon the correctness of the data furnished by Buyer and upon the products being properly installed and maintained. 21

At its option, Softcare will repair or replace defective parts that meet the terms and conditions of this warranty and at no charge to the original owner and will pay freight charges provided the company has previously authorized the replacement or return. Normal aging and wear of fabrics, filling materials and finishes are exempted from this warranty. Softcare's judgement will be final in all matters concerning the condition of the furniture, the cause or nature of the defect and the necessity or manner of repair. In no event shall Softcare be liable for consequential damages. 22

On product furnished by Softcare, but manufactured by others, the written warranty, if any, of the manufacturer will be assigned to the Buyer. Softcare, in its manufacture and sale of these products, will assume no liability as to possible infringement or patents or copyrights by virtue of the use of said products in combination with other elements or structures, or when manufactured to Buyer's specifications 23

16 **EXPORT PACKING CHARGES:**
Quoted upon request.

17 **TERMS AND CONDITIONS OF/GOVERNMENT
COMMERCIAL CREDIT CARD ACCEPTANCE:**
Softcare will accept the government commercial credit card but will not offer any additional discount for orders placed using the credit card.

18 **TERMS AND CONDITIONS OF RENTAL
MAINTENANCE AND REPAIR:**
N/A

**TERMS AND CONDITIONS OF
INSTALLATION:**

Inside Delivery accepted. Actual cost will be passed on.

**TERMS AND CONDITIONS OF
REPAIR:** N/A

**TERMS AND CONDITIONS FOR
ANY OTHER SERVICES:** N/A

SERVICE AND DISTRIBUTION POINTS:
Call contractor.

PARTICIPATING DEALERS:
Call contractor.

PREVENTATIVE MAINTENANCE:
N/A

ENVIRONMENTAL ATTRIBUTES:
Softcare maintains a program to reduce the impact on the environment of our products and operations.

**DATA UNIVERSAL NUMBER
SYSTEMS (DUNS) NUMBER:**
25 4838774

**NOTIFICATION REGARDING
REGISTRATION IN CENTRAL
CONTRACTOR REGISTRATION
(CCR DATABASE):**
L4 806 (Cage Code)



Single/Multiple Seating

Ritz Series Seating



Aspekt Series Seating



Bariatric Seating



Ritz Series Seating



seating specifications

Lounge Series Seating

Hallmark



Lounge Series Seating

Aqua



Lounge Series Seating

Java



Guest Seating

Kami Series



Stacker Seating

Whisper Stacking



Seating

Boulevard Dining Chairs



STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	

SPECIAL WOOD FINISHES Can be provided depending on the product, finish required and quantity. For special finishes, a sample that is a minimum 3" x 3" must be submitted with the order. Special finishes may add additional lead time to production schedules. Upcharge is 15% list per item with a minimum upcharge of \$525 list per finish per order. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

FABRIC SPECIFICATIONS Softcare takes great care in working with suppliers of fabrics and vinyls specifically designed for the healthcare environment. Fabrics composed of Trevira and SEF Mod acrylic/nylon blends have superior results in flammability testing. Fabric suppliers do not guarantee their products for fading, durability, color fastness or wear, nor does Softcare. The following Crypton and moisture-proof fabrics are graded by the manufacturer/distributor and purchased for your order: ArcCom, Architex, CF Stinson, Maharam, Momentum, Samelson-Chatelane/Coral.

SPECIAL UPHOLSTERY COVERS If Softcare is required to purchase special upholstery covers for an order, Grade COM price plus cost of material with a 25% handling charge will be added.

CUSTOMER'S OWN MATERIAL COM must be sent prepaid with any duty or custom clearance being the responsibility of the purchaser. COM must be received at least 5 weeks prior to the acknowledged shipment date to ensure a delay does not occur. Yardage listed in the price list is approximate. Additional yardage may be needed if the material is less than 54" wide, or for patterned or striped material that requires matching.

Please specify fabric to be ordered in one piece, not as multiple yardages. Customer is responsible for re-ordering correct fabric yardage if received as multiple pieces. If you have any questions regarding COM, please contact Softcare. Softcare reserves the right to refuse a COM fabric if it will not tailor properly.

COM SHIPPING PROCEDURES

- All COM fabrics sent to Softcare must:
- Be shipped to:
Softcare Innovations Inc.
675 Davenport Road
Waterloo, Ontario, Canada
N2V 2E2
 - Be clearly marked with the Customer's name, Order number, and Project name.
 - Contain details on quantity shipped.
 - Contain details of fabric including description and composition.
 - Contain details of any special instruction if required.
 - All packages shipped via UPS, must be clearly marked "**For Customs Clearance by Russell A. Farrow, Custom Brokers**".
 - Have the necessary paperwork, as noted below, to allow the fabric to qualify for duty exemption under the terms of the North American Free Trade Agreement (NAFTA). In order for this to happen the goods must be classified as originating in either the United States, Mexico or Canada.

For all shipments under \$1600 Canadian, you must send in triplicate with the COM material marked "Customs Documents" a "Statement of Origin for Commercial Importation of Less than \$1,600 Canadian, clearly labelled "For Customs Clearance by Russell A. Farrow, Custom Brokers" This form can be found at the back of the price list along with a copy of a Commercial Invoice.

For all shipments over \$1,600 Canadian, you must send along with the COM material marked "Customs Documents" a NAFTA "Certificate of Origin", clearly labelled "For Customs Clearance by Russell A Farrow, Custom Brokers". This form can be found at the back of the price list along with a copy of a Commercial Invoice.

PERIMETER GUARD LEG PROTECTION

This innovative coating was developed for the aircraft industry to protect the leading edges of aircraft wings, struts and stabilizers from abrasion.

Softcare has brought this innovative aerospace technology to play on healthcare furniture. In long term care and intensive use areas, the lower 6" to 9" of wood chair legs undergo substantial abuse from wheelchairs, walkers, equipment and foot contact. Perimeter Guard is made from a highly durable polyurethane thermoplastic elastomer film. Applied to the outside lower 9" of a chair leg, Perimeter Guard is installed when the chair is new (typically to the rear legs of a dining chair or front legs of public area seating). Perimeter Guard provides abrasion and scratch resistance for long term protection of the finished surface as well as impact resistance to maintain surface integrity in applications where minor impacts are a concern. Volatile organic compounds (VOC's) are not released during application of Perimeter Guard. Now Softcare offers the beauty of wood with aerospace technology and protection. Perimeter Guard is exclusive to Softcare. Specify "**Perimeter Guard**". Add **\$8.00** list/leg.

CARE & MAINTENANCE

FABRIC UPHOLSTERY: Professional upholstery cleaning is recommended.
VINYL UPHOLSTERY: Clean with warm soapy water.
ALL OTHER FABRICS: See individual fabric manufacturer's cleaning recommendations.

FLAMMABILITY Standard cushioning meets or exceeds the California #117 specifications for flammability.

California 133: Product will be made to meet the flammability requirements of California Bureau of Home Furnishings Technical Bulletin 133. An upcharge will apply per seat based on the number of seats. Recommended fabrics are 100% Trevira® Polyester, 75% S.E.F. Modacrylic/25% Nylon, 100% Wool. If our product is required to be tested to meet CAL 133 compliance, any additional test costs incurred (including the cost of the chair) will be the responsibility of the customer.

upholstery selection

To view these fabrics, go to the website listed for each company shown.

Links to selected fabric supplier websites may be accessed directly from www.softcarein.com.

SAMELSON-CHATELANE/CORAL

www.csamelson.com or coralofchicago.com

GRADE 5
Confetti
Diamonds
Ferns
Fountains
Geometry
Ladders
Miraval
Nautica
Tides

CF STINSON

To view these fabrics, go to www.cfstinson.com — click sample room.

Vinyl

GRADE 2

Chamea
Kilkenny Tweed
Prelude
Southampton
Spirit Millennium
Tusk

GRADE 3

Boxwood
Mayfair
Zodiac
Crypton Metro

GRADE 4

Atheneum Splendor
Autumn Dance Status
Autumn Dance Tool Tryst
Avanyu Wyndgate
Bentley
Breeze
Checkers
Clubhouse
Crypton Persuasion
Crypton Suede
Crypton Twill
Fieldstone
Harlequin

Ivy League
Juilliard
Meadowbrook
Overture
Palisades
Palmetto
Romance
Shimmer

GRADE 5

Boutique
Charleston
Connoisseur
Curves Ahead
Deco
Estate
Estate Tool
Fieldstone
Forte
Fun and Games
Heirloom
Innuendo
Isabeau
Isabeau Tool
Kiawah
Mardi Gras
Mosaic
Paradise
Prestige
Rotation
Terrazzo
Tiles
Tiles Tool
Tuxedo

SOFTCARE UPHOLSTERY SELECTION continued

MOMENTUM

To view these samples, go to www.memosamples.com — click Momentum Textiles. A user ID and password may be required.

GRADE 2	GRADE 3			GRADE 5
Acropolis	Bravo	Busybody	Hub	Askew
Agora	Crypton Suede	Chatterbox	Hugs and Kisses	Hype+Gore
Cashmere	Hue+Gore	Cherish	Locale	Jay+Gore
Crete	Jinx+Gore	Chi+Gore	Memento	Junction
Glam	Lustre	Curvy	Paper Route	Media+Gore
Independence	Saucy+Gore	Dayspring	Morph+Gore	Segue
Mercury	Smart Suede	Devotion	Niche	Unhinged
Olympus	Tribute	Frolic	Paper Route	
Sublime		Gardener	Parker+Gore	
	GRADE 4	Homecoming	Picnic	
	Apropos		Potluck	
	Banquet		Reminisce	
	Buffet		Rendezvous+Gore	
			Reunion	
			Schmooze	
			Sheen	
			Social Butterfly	
			Swell	
			Theory+Gore	
			Tryst	
			Whisper	
			Wishes	

*Additional Momentum fabrics
are approved per Momentum
GSA contract GS-28F0020K.
Call Softcare Customer
Service 800-342-8562 for
grading*

MAHARAM

To view these fabrics, go to www.maharam.com.

Vinyl	Woven Crypton	
GRADE 3	GRADE 5	GRADE 6
Article	Bop	Comment
Candid	Climate	Intertwine
Lariat	Hop	Iota
	Skate	Panache
	Sway	Pipa
	Swerve	Segment
		Shimmy
		Symbol
		Token

*Additional Maharam fabrics
are approved per Maharam
GSA contract GS-28F 0016J
Call Softcare Customer
Service 800-342-8562
for grading*

FABRIC YARDAGE CALCULATION

To calculate yardage required for COM and other non-standard fabric orders, please contact Softcare Customer Service at 800-342-8562, providing the exact product code, the fabric width, and the vertical and horizontal repeat measurements, if any. Unless otherwise advised, fabric rolls are assumed to be a minimum 54" wide. As a guideline, please refer to the following chart, showing a very approximate percentage of additional fabric required for various widths and repeats.

The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart for extra yardage needed.

FABRIC	Plain	2"-14" Repeat	18"-19" Repeat	20"-27" Repeat	28"-36" Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%



RITZ seating systems

Ritz Uptown
2200 Series



Ritz On the Park
2300 Series



Ritz seating is designed for patient rooms and public/reception areas, either as stand-alone units or grouped into ganged configurations. Each unique Ritz style provides a comfortable seating solution for almost any environment.

SHIPPING Ritz seating is shipped in components for field assembly. An Allen key head is required. All bolts for fastening seating together use the same bolt size and head (Allen head bolts are considered tamper-proof in most situations). **Assembly is available for contract quantity orders on stand alone units only. Contact customer service for a quote. Advise on quantity, blanket wrapped or cartoned.**

SEAT FRAME Constructed of 3" x 1/4" steel front and back crossbars with formed wrap around sides precision punched for alignment. Steel seat pan sides are welded front and back to form a strong integral unit. Seat deck is constructed of 5 rubber web straps fastened with a steel hook and collars from side to side. This active seat suspension provides excellent comfort and is field replaceable.

Ritz backs are constructed of 5/8" thick molded plywood covered with 3" thick high density Cal 117 rated foam. The back is fastened with 4 bolts. 1/4" x 20 x 1" into tee nuts.

CAD CONFIGURATION LAYOUTS

Softcare provides CAD layouts for large projects. Simply e-mail: layouts@softcarein.com

or fax: your requirements and specifications to Softcare: 519-745-8580 and a drawing will be provided for your review.

SPECIALS For custom Ritz seating solutions, please contact Softcare customer service.

REPLACEMENT COMPONENTS

- Arm/leg assembly
- Replacement seat and back upholstery covers
- Seat webbing set of 5

2200 series

Ritz 2200 Uptown Series is designed for high traffic public waiting and reception areas with oval steel legs accented with solid Maple arm caps or plastisol arm caps.

Ritz Uptown features a powder-coated 16 gauge 2 5/8" x 1 5/8" oval shaped steel leg assembly with molded oval black glide caps for the bottom of the leg.

End frames have welded 1/4" bar stock structural horizontal side rails with threaded holes to accept assembly bolts and a maple trim panel.

Center frames have welded rectangular tubular horizontal side rails with welded nut inserts to accept assembly bolts.

Threaded inserts are installed in the steel arm frame to fasten with the steel seat frame using 5/16 - 18 x 1" bolts with tamper resistant button socket cup (Allen key fastening).

To complete the arm assembly, a standard Maple Wood Arm Cap or optional black, taupe or graphite Plastisol Arm Cap may be specified. Arms are fastened inside the legs. The plastisol arm cap features a steel core with plastisol coating.

Standard powder-coated frame colors are black and silver. For custom colors, refer to the Tiger Drylac Powder Coatings Color Chart to view the vast array of powder coat "RAL" colors available. Custom colors require a longer lead time in production and a minimum order of 25 seat units. A 5% upcharge applies.

2300 series

Ritz 2300 On the Park Series seating is elegantly scaled for waiting and reception areas. Fully upholstered side panels with refined solid Maple arms and bases are designed to be field replaceable.

Ritz On the Park features an enclosed full length upholstered arm with 1 3/4" wide Maple wood arm caps and matching wood base. Arm and base are field replaceable fastened with threaded steel rods into metal inserts in the arms.

Full height arms permits single seat units, multiples of single seats with full height intermediate center arms and two and three seat units with 2 or 3 seat multiples. Upholstered arm panels are precise CNC-machined MDF core with threaded steel inserts to accept assembly bolts.

2400, 2500 2600, 2700 series

ARM / LEG ASSEMBLY Constructed of 1 3/4" thick Maple glued and dowelled to form a strong ladder

type frame with flush joints. NOTE: The Maple used on Ritz will show some mineral streaks and is best suited for stained finishes.

Threaded inserts are installed in the wood frame to fasten the steel seat frame using 5/16 - 18 x 1" bolts with tamper resistant button socket cup (Allen key fastening). Each side frame can be easily replaced in the field by removing 4 bolts.

The Ritz Series is a multiple seating series designed to be inter-connected to form a variety of configurations.

Left and Right attachment is viewed from the front facing the seating.

Ritz Classic 2400 Series



Ritz Boulevard 2500 Series



Ritz Courtyard 2600 Series



Ritz Mission 2700 Series



Ritz bariatric seating

Ritz Bariatric seating offers single seat capacity in 30" and 40" seat widths. Wood arm models have been static load tested to 1000 lb.

Steel arm (2200 series) has been static load tested to 1500 lb.

Ritz bariatric seats can be specified as stand alone or used in multiple seat arrangements.

Seating deck is 3" Ultracel foam over 3/4" plywood supported by a 3" x 1/4" bar stock steel frame.

Ritz easy access chairs

Ritz easy access chairs are available in Boulevard 25 series and Uptown 22 series. The chairs have a 24" seat height and foot rest.

Easy access chairs are ideal for people who have difficulty getting in or out of an 18" seat height chair.

People recovering from hip replacement surgery may find these chairs beneficial.

Ritz high back patient chairs

Ritz high back patient chairs are ideal for resident rooms and lounge areas. This chair's unique design provides exceptional comfort and back support while adding visual appeal to any room. Ritz high back patient chairs are the perfect complement to Ritz public area seating.

High backs and high backs with safety gliders are shipped fully assembled.

High back patient chairs are available in the following Ritz arm styles:

Classic
Uptown
On the Park
Boulevard
Courtyard
Mission

Ritz safety glider


The Ritz safety glider is designed for use in public waiting areas. The soothing gliding motion is safe and secure because it will not tip or pinch.

The safety glide mechanism has a calming effect on patients and family members in stressful situations. Often while anxious, people crave motion and therefore have a tendency to pace the floor or fidget with their hands. The safe and gentle motion of this chair can act as a means for channelling nervous energy. The safety glider can be specified as an individual seating unit or in a multiple seating arrangement and is ideal in high stress environments such as surgical or ambulatory waiting areas.

SAMPLE CONFIGURATIONS

Ritz Classic system is illustrated.

The following sample configurations are available on Ritz models: Classic, Uptown, On the Park, Boulevard, Courtyard and Mission. For sample configuration pricing on a specific Ritz series, please contact Softcare.



A INSIDE CORNER SEATING SYSTEM

Seating for 5
Using 2 and 3 seat units with center arms reduces the number of legs allowing for easier cleaning.

Two Seat / center arm /
right connector


SC-2423-R

90° Curved Table

SC-2254

Three Seat / center arms /
left connector

SC-2433-L



B IN-LINE SEATING UNIT

Seating for 2

Arm Chair / right connector

SC-2410-R

In-line Intermediate Table

SC-2250

Arm Chair / left connector

SC-2410-L



C INSIDE 45° CORNER SEATING SYSTEM

Seating for 3

Arm Chair / right connector


SC-2410-R

45° Curved Table

SC-2252

Two Seat / no center arms /
left connector

SC-2420-L



D OUTSIDE 45° CORNER SEATING SYSTEM

Seating for 4

2 seat units without center arms —

right connector


SC-2420-R

45° Curved Table

SC-2252

Two Seat / no center arms /
left connector

SC-2420-L



E OUTSIDE 90° CORNER SEATING SYSTEM

Seating for 4

Specified as chair units with legs between each unit allowing for maximum future recon-figurations.

Arm Chair / right connector

SC-2410-R

Arm Chair add-on / right leg for
continuous add-on

SC-2412-R

90° Curved Table

SC-2254

Arm chair / left/right
connectors

SC-2410-L/R

Arm Chair add-on / right leg
end of run

SC-2411-R

Ordering Procedures:

- ☒ Softcare model number ☒ Finish selection on Maple ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly.



Ritz Uptown
2200 Series



Ritz On the Park
2300 Series



Ritz Classic
2400 Series



Ritz Boulevard
2500 Series




Ritz Courtyard
2600 Series




Ritz Mission
2700 Series


ARM CHAIR for use with leg between each seat




SC-2X10 Arm Chair
Stand alone unit



SC-2X10-L Arm Chair
Left connector




SC-2X10-R Arm Chair
Right connector




SC-2X10-L/R Arm Chair
Left and Right connector

SERIES	COM	2	3	4	5	6	7	8	DIMENSIONS						COM SHIP			CU FT
									W	D	H	SH	SW	AH	YD	WT		
2210	366	419	446	472	499	526	552	578	24 (610)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	2	59	9	
2310	382	463	490	518	546	575	602	630	24 (610)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	3.5	75	9	
2410	342	393	417	442	466	492	517	541	24 (610)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	2	49	9	
2510	342	393	417	442	466	492	517	541	25 (635)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	2	49	9	
2610	403	452	484	516	548	582	613	645	25 (635)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	3	49	9	
2710	392	443	467	491	516	542	567	592	25 (635)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	2	49	9	


ARM CHAIR for use as add-on units




SC-2X11-L Arm Chair Add-on
Left leg only
Left end of run



SC-2X11-R Arm Chair Add-on
Right leg only
Right end of run



SC-2X12-L Arm Chair Add-on
Left leg for continuous
Left add-on unit



SC-2X12-R Arm Chair Add-on
Right leg for continuous
Right add-on unit

SERIES	COM	2	3	4	5	6	7	8	DIMENSIONS						COM SHIP			CU FT
									W	D	H	SH	SW	AH	YD	WT		
2211/2212	305	358	385	412	438	465	491	518	22.25 (565)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	2	46	9	
2311/2312	319	399	428	455	483	511	539	567	22.25 (565)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	2.75	54	9	
2411/2412	286	336	360	385	410	435	460	485	22.25 (565)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	2	41	9	
2511/2512	286	336	360	385	410	435	460	485	22.75 (577)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	2	41	9	
2611/2612	316	366	394	423	451	480	508	537	22.75 (577)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	2.5	41	9	
2711/2712	311	361	386	410	435	460	485	510	22.75 (577)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	2	41	9	

OPTIONS

Plastisol arm cap:
 Specify black, taupe or graphite.
 Specify wood side rail finish color.
 Wallsaver Add 15% min. qty 25.
 Floor glide inserts, specify on order.
 Reinforced seat to 500 lb.
 Back height 4" (36.5) higher, Add 5%
 Back height 12.5" (45) higher, Add 10%
 CAL 133

2200
Curved
19.00
☒ N/C
46.00
☒
32/seat

2300
Curved
19.00
☒
46.00
☒
32/seat

2400
X
☒
46.00
☒
32/seat

2500
Straight
13.00
☒
46.00
☒
32/seat

2600
Straight
13.00
☒
46.00
☒
32/seat

2700
Straight
13.00
☒
46.00
☒
32/seat

STANDARD WOOD FINISHES

Parchment
 Natural (Clear) Maple
 Honey
 Nutmeg
 Classic
 Crown
 Regal
 Castle Oak
 English Oak
 Honduras
 Winchester

NOTE: Ritz is shipped in components for field assembly.

Ritz Series Seating

SIN 711-17

softcare

Ordering Procedures:

- ☒ Softcare model number ☒ Finish selection on Maple ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly.



Ritz Uptown
2200 Series



Ritz On the Park
2300 Series



Ritz Classic
2400 Series



Ritz Boulevard
2500 Series




Ritz Courtyard
2600 Series




Ritz Mission
2700 Series


ARMLESS CHAIR




SC-2X13 Armless Chair
Stand alone unit



SC-2X13-L Armless Chair
Left connector




SC-2X13-R Armless Chair
Right connector




SC-2X13-L/R Armless Chair
Left and Right connector

SERIES	COM	2	3	4	5	6	7	8	W	D	DIMENSIONS			COM YD	SHIP WT	CU FT	
											H	SH	SW				
2213	330	382	409	435	462	489	515	542	24 (610)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	2	46	9	
2300	NOT APPLICABLE																
2413	309	358	383	408	431	457	482	508	24 (610)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	2	41	9	
2513	309	358	383	408	431	457	482	508	25 (635)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	2	41	9	
2600	NOT APPLICABLE																
2700	NOT APPLICABLE																


ARMLESS CHAIR for use as add-on units




SC-2X14-L Armless Chair Add-on
Left leg only
Left end of run



SC-2X14-R Armless Chair Add-on
Right leg only
Right end of run



SC-2X15-L Armless Chair Add-on
Left leg for continuous
Left add-on unit



SC-2X15-R Armless Chair Add-on
Right leg for continuous
Right add-on unit

SERIES	COM	2	3	4	5	6	7	8	W	D	DIMENSIONS			COM YD	SHIP WT	CU FT
											H	SH	SW			
2214/2215	287	339	367	393	420	447	473	500	22.25 (565)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	2	42	9
2300	NOT APPLICABLE															
2414/2415	268	318	344	368	394	418	443	469	22.25 (565)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	2	37	9
2514/2515	268	318	344	368	394	418	443	469	22.75 (577)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	2	37	9
2600	NOT APPLICABLE															
2700	NOT APPLICABLE															

OPTIONS

- Bariatric CAL 133
 Moisture barrier
 Bariatric moisture barrier
 Perimeter guard, specify front or back.
 Two-tone finish, Add 5%
 specify arm color and leg color.

Safety Glider - add SG to model number
 SC-2X10, SC-2X10-L, SC-2X10-R, SC-2X10-L/R

2200
49/seat
19/seat
25/seat
X
X
X

2300
49/seat
19/seat
25/seat
X
X
X

2400
49/seat
19/seat
25/seat
8/leg
X
X

2500
49/seat
19/seat
25/seat
8/leg
X
X

2600
49/seat
19/seat
25/seat
8/leg
X
X

2700
49/seat
19/seat
25/seat
8/leg
X
X

STANDARD WOOD FINISHES

- Parchment
 Natural (Clear) Maple
 Honey
 Nutmeg
 Classic
 Crown
 Regal
 Castle Oak
 English Oak
 Honduras
 Winchester

NOTE: Ritz is shipped in
 components for field assembly.

Add 136.00 to the COM and Graded price

Ordering Procedures:

- ☒ Softcare model number ☒ Finish selection on Maple ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/
 Left assembly.



Ritz Uptown
2200 Series



Ritz On the Park
2300 Series



Ritz Classic
2400 Series



Ritz Boulevard
2500 Series




Ritz Courtyard
2600 Series




Ritz Mission
2700 Series


TWO SEAT *without center arm or leg*




SC-2X20 Two Seat
No center arm or center leg



SC-2X20-L Two Seat
Left connector




SC-2X20-R Two Seat
Right connector




SC-2X20-L/R Two Seat
Left and Right connector

SERIES	COM								DIMENSIONS					COM SHIP			CU
		2	3	4	5	6	7	8	W	D	H	SH	SW	AH	YD	WT	FT
2220	590	694	745	797	848	899	951	1003	44 (1118)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	4	92	18
2320	617	750	804	858	911	965	1019	1063	44 (1118)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	5.5	108	18
2420	553	650	697	746	794	842	890	939	44 (1118)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	4	82	18
2520	553	650	697	746	794	842	890	939	45 (1143)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	4	82	18
2620	614	709	765	816	876	932	986	1042	45 (1143)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	5	82	18
2720	603	700	748	796	844	892	940	989	45 (1143)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	4	82	18


TWO SEAT *without center arm or leg for use as add-on units*




SC-2X21-L Two Seat Add-on
Left leg only
Left end of run



SC-2X21-R Two Seat Add-on
Right leg only
Right end of run



SC-2X22-L Two Seat Add-on
Left leg for continuous add-on
Left add-on unit



SC-2X22-R Two Seat Add-on
Right leg for continuous add-on
Right add-on unit

SERIES	COM								DIMENSIONS					COM SHIP			CU
		2	3	4	5	6	7	8	W	D	H	SH	SW	AH	YD	WT	FT
2221/2222	533	634	687	739	790	841	892	945	42.25 (1073)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	4	79	18
2321/2322	556	688	743	797	851	904	958	1012	42.25 (1073)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	4.75	87	18
2421/2422	498	594	643	691	739	787	835	884	42.25 (1073)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	4	74	18
2521/2522	498	594	643	691	739	787	835	884	42.75 (1085)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	4	74	18
2621/2622	529	625	677	729	780	832	884	936	42.75 (1085)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	4.5	74	18
2721/2722	524	619	669	716	765	813	860	910	42.75 (1085)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	4	74	18

OPTIONS

Plastisol arm cap:
 Specify black, taupe or graphite.
 Specify wood side rail finish color.
 Wallsaver Add 15% min. qty 25.
 Floor glide inserts, specify on order.
 Reinforced seat to 500 lb.
 Back height 4" (36.5) higher, Add 5%
 Back height 12.5" (45) higher, Add 10%
 CAL 133

2200
Curved
19.00
☒ N/C
46.00
☒
32/seat

2300
Curved
19.00
☒
46.00
☒
32/seat

2400
☒
46.00
☒
32/seat

2500
Straight
13.00
☒
46.00
☒
32/seat

2600
Straight
13.00
☒
46.00
☒
32/seat

2700
Straight
13.00
☒
46.00
☒
32/seat

STANDARD WOOD FINISHES

Parchment
 Natural (Clear) Maple
 Honey
 Nutmeg
 Classic
 Crown
 Regal
 Castle Oak
 English Oak
 Honduras
 Winchester

NOTE: Ritz is shipped in
 components for field assembly.

Ritz Series Seating

SIN 711-17

softcare

Ordering Procedures:

- ☒ Softcare model number ☒ Finish selection on Maple ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/
Left assembly.



Ritz Uptown
2200 Series



Ritz On the Park
2300 Series



Ritz Classic
2400 Series



Ritz Boulevard
2500 Series




Ritz Courtyard
2600 Series




Ritz Mission
2700 Series


TWO SEAT with center arm




SC-2X23 Two Seat
Center arm
No center leg



SC-2X23-L Two Seat
Center arm
Left connector




SC-2X23-R Two Seat
Center arm
Right connector




SC-2X23-L/R Two Seat
Center arm
Left and Right connector

SERIES	COM	2		3		4		5		6		7		8		DIMENSIONS						COM SHIP			CU FT
																W	D	H	SH	SW/unit	AH	YD	WT		
2223	622	725	777	829	880	932	983	1035								45.75 (1162)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	4	97		18
2300	NOT APPLICABLE																								
2423	583	679	728	776	824	872	920	970								45.75 (1162)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	4	86		18
2523	583	679	728	776	824	872	920	970								46.75 (1187)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	4	86		18
2623	674	769	828	889	947	1006	1065	1124								46.75 (1187)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	5.5	86		18
2723	658	755	803	851	899	947	996	1045								46.75 (1187)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	4	86		18


TWO SEAT center arm for use as add-on units




SC-2X24-L Two Seat Add-on
Left leg only
Left end of run



SC-2X24-R Two Seat Add-on
Right leg only
Right end of run



SC-2X25-L Two Seat Add-on
Left leg for continuous add-on
Left add-on unit



SC-2X25-R Two Seat Add-on
Right leg for continuous add-on
Right add-on unit

SERIES	COM	2		3		4		5		6		7		8		DIMENSIONS						COM SHIP			CU FT
																W	D	H	SH	SW/unit	AH	YD	WT		
2224/2225	564	667	719	770	816	873	925	976								44 (1118)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	4	84		18
2300	NOT APPLICABLE																								
2424/2425	528	624	673	721	769	817	866	914								44.5 (1130)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	4	78		18
2524/2525	528	624	673	721	769	817	866	914								44.5 (1130)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	4	78		18
2624/2625	589	684	739	796	851	907	962	1017								44.5 (1130)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	5	78		18
2724/2725	578	674	722	771	819	867	916	964								44.5 (1130)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	4	78		18

OPTIONS

- Bariatric CAL 133
Moisture barrier
Bariatric moisture barrier
Perimeter guard, specify front or back.
Two-tone finish, Add 5%
specify arm color and leg color.

Safety Glider - add SG to model number
SC-2X10, SC-2X10-L, SC-2X10-R, SC-2X10-L/R

2200
49/seat
19/seat
25/seat
X
X
X
X

2300
49/seat
19/seat
25/seat
X
X
X
X

2400
49/seat
19/seat
25/seat
8/leg
8/leg
8/leg
X

2500
49/seat
19/seat
25/seat
8/leg
8/leg
8/leg
X

2600
49/seat
19/seat
25/seat
8/leg
8/leg
8/leg
X

2700
49/seat
19/seat
25/seat
8/leg
8/leg
8/leg
X

STANDARD WOOD FINISHES

- Parchment
Natural (Clear) Maple
Honey
Nutmeg
Classic
Crown
Regal
Castle Oak
English Oak
Honduras
Winchester

NOTE: Ritz is shipped in
components for field assembly.

Add 136.00 to the COM and Graded price

Ordering Procedures:

- ☒ Softcare model number ☒ Finish selection on Maple ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly.



Ritz Uptown
2200 Series



Ritz On the Park
2300 Series



Ritz Classic
2400 Series



Ritz Boulevard
2500 Series




Ritz Courtyard
2600 Series




Ritz Mission
2700 Series


ARMLESS TWO SEAT




SC-2X26 Two Seat
No center leg



SC-2X26-L Two Seat
Left connector



SC-2X26-R Two Seat
Right connector



SC-2X26-L/R Two Seat
Left and Right connector

SERIES	COM	2	3	4	5	6	7	8	DIMENSIONS					COM SHIP		CU
									W	D	H	SH	SW	YD	WT	FT
2226	555	658	685	761	813	864	915	968	44 (1118)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	4	79	18


2300 NOT APPLICABLE

2426	520	616	665	713	761	809	857	906		44	27	32.5	18	40.5	4	74	18
										(1118)	(686)	(826)	(457)	(1029)			
2526	520	616	665	713	761	809	857	906		44	27	32.5	18	40.5	4	74	18
										(1118)	(686)	(826)	(457)	(1029)			


2600 NOT APPLICABLE

2700 NOT APPLICABLE


ARMLESS TWO SEAT *without center leg for use as add-on units*




SC-2X27-L Two Seat Add-on
Left leg only
Left end of run



SC-2X27-R Two Seat Add-on
Right leg only
Right end of run



SC-2X28-L Two Seat Add-on
Left leg for continuous add-on
Left add-on unit



SC-2X28-R Two Seat Add-on
Right leg for continuous add-on
Right add-on unit

SERIES	COM	2	3	4	5	6	7	8	DIMENSIONS					COM SHIP			CU FT
									W	D	H	SH	SW	YD	WT		
2227/2228	515	616	669	721	772	823	874	927	42.25 (1073)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	4	75	18	

2300 NOT APPLICABLE

2427/2428	481	577	626	675	722	771	819	867		42.25	27	32.5	18	40.5	4	70	18
										(1073)	(686)	(826)	(457)	(1029)			
2527/2528	481	577	626	675	722	771	819	867		42.75	27	32.5	18	40.5	4	70	18
										(1085)	(686)	(826)	(457)	(1029)			

2600 NOT APPLICABLE

2700 NOT APPLICABLE

OPTIONS

Plastisol arm cap:
Specify black, taupe or graphite.
Specify wood side rail finish color.
Wallsaver Add 15% min. qty 25.
Floor glide inserts, specify on order.
Reinforced seat to 500 lb.
Back height 4" (36.5) higher, Add 5%
Back height 12.5" (45) higher, Add 10%
CAL 133

	2200	2300	2400	2500	2600	2700
Curved	Curved	Curved	X	Straight	Straight	Straight
	19.00	19.00		13.00	13.00	13.00
	<input checked="" type="checkbox"/>	X	X	X	X	X
	<input checked="" type="checkbox"/> N/C	X	X	X	X	X
	46.00	46.00	46.00	46.00	46.00	46.00
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	32/seat	32/seat	32/seat	32/seat	32/seat	32/seat

STANDARD WOOD FINISHES

Parchment
Natural (Clear) Maple
Honey
Nutmeg
Classic
Crown
Regal
Castle Oak
English Oak
Honduras
Winchester

NOTE: Ritz is shipped in components for field assembly.

Ritz Series Seating

SIN 711-17

softcare

Ordering Procedures:

- ☒ Softcare model number ☒ Finish selection on Maple ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/
Left assembly.



Ritz Uptown
2200 Series



Ritz On the Park
2300 Series



Ritz Classic
2400 Series



Ritz Boulevard
2500 Series




Ritz Courtyard
2600 Series




Ritz Mission
2700 Series


THREE SEAT without center arms or legs




SC-2X30 Three Seat
No center arms or center legs



SC-2X30-L Three Seat
Left connector




SC-2X30-R Three Seat
Right connector




SC-2X30-L/R Three Seat
Left and Right connector

SERIES	COM	2	3	4	5	6	7	8	W	D	DIMENSIONS				COM SHIP			CU
											H	SH	SW	AH	YD	WT	FT	
2230	827	982	1059	1136	1214	1291	1369	1445	64.25 (1632)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)	26 (660)	6	125	25	
2330	864	1023	1133	1213	1294	1375	1456	1537	64.25 (1632)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)	26 (660)	7.5	141	25	
2430	774	919	991	1065	1139	1209	1281	1353	64.25 (1632)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)	26 (660)	6	115	25	
2530	774	919	991	1065	1139	1209	1281	1353	65.25 (1657)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)	26 (660)	6	115	25	
2630	835	979	1058	1140	1218	1298	1378	1456	65.25 (1657)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)	26 (660)	7	115	25	
2730	824	969	1041	1115	1186	1259	1332	1403	65.25 (1657)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)	26 (660)	6	115	25	


THREE SEAT without center arms or legs for use as add-on unit




SC-2X31-L Three Seat Add-on
Left leg only
Left end of run



SC-2X31-R Three Seat Add-on
Right leg only
Right end of run



SC-2X32-L Three Seat Add-on
Left leg for continuous add-on
Left add-on unit



SC-2X32-R Three Seat Add-on
Right leg for continuous add-on
Right add-on unit

SERIES	COM	2	3	4	5	6	7	8	W	D	DIMENSIONS				COM SHIP			CU
											H	SH	SW	AH	YD	WT	FT	
2231/2232	768	923	1000	1066	1155	1232	1309	1386	62.5 (1588)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)	26 (660)	6	112	25	
2331/2332	803	990	1071	1151	1232	1314	1394	1475	62.5 (1588)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)	26 (660)	6.75	120	25	
2431/2432	720	865	936	1009	1081	1154	1227	1298	62.5 (1588)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)	26 (660)	6	107	25	
2531/2532	720	865	936	1009	1081	1154	1227	1298	63 (1600)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)	26 (660)	6	107	25	
2631/2632	750	895	970	1047	1122	1198	1275	1349	63 (1600)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)	26 (660)	6.5	107	25	
2731/2732	745	890	962	1034	1106	1179	1252	1323	63 (1600)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)	26 (660)	6	107	25	

OPTIONS

	2200	2300	2400	2500	2600	2700
Bariatric CAL 133	49/seat	49/seat	49/seat	49/seat	49/seat	49/seat
Moisture barrier	19/seat	19/seat	19/seat	19/seat	19/seat	19/seat
Bariatric moisture barrier	25/seat	25/seat	25/seat	25/seat	25/seat	25/seat
Perimeter guard, specify front or back.	X	X	8/leg	8/leg	8/leg	8/leg
Two-tone finish, Add 5% specify arm color and leg color.	X	X	X	✓	✓	✓
Safety Glider - add SG to model number	✓	✓	✓	✓	✓	X
SC-2X10, SC-2X10-L, SC-2X10-R, SC-2X10-L/R						

Add **136.00** to the COM and Graded price

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	

NOTE: Ritz is shipped in
components for field assembly.

Ordering Procedures:

- ☒ Softcare model number ☒ Finish selection on Maple ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly.



Ritz Uptown
2200 Series



Ritz On the Park
2300 Series



Ritz Classic
2400 Series



Ritz Boulevard
2500 Series




Ritz Courtyard
2600 Series




Ritz Mission
2700 Series


THREE SEAT with center arms




SC-2X33 Three Seat
With center arms, no center legs



SC-2X33-L Three Seat
Left connector



SC-2X33-R Three Seat
Right connector




SC-2X33-L/R Three Seat
Left and Right connector

SERIES	COM								DIMENSIONS				COM SHIP		CU FT
		2	3	4	5	6	7	8	W	D	H	SH SW/unit AH	YD	WT	
2233	891	1046	1123	1200	1278	1355	1432	1510	67.75 (1721)	27 (686)	32.5 (826)	18 20.25 26 (457) (514) (660)	6	138	25


2300 NOT APPLICABLE

2433	834	979	1051	1124	1196	1268	1341	1413	67.75 (1721)	27 (686)	32.5 (826)	18 20.25 26 (457) (514) (660)	6	123	25
2533	834	979	1051	1124	1196	1268	1341	1413	68.75 (1748)	27 (686)	32.5 (826)	18 20.25 26 (457) (514) (660)	6	123	25
2633	957	1099	1185	1274	1359	1448	1534	1619	68.75 (1748)	27 (686)	32.5 (826)	18 20.25 26 (457) (514) (660)	8	123	25
2733	934	1080	1151	1224	1297	1368	1441	1513	68.75 (1748)	27 (686)	32.5 (826)	18 20.25 26 (457) (514) (660)	6	123	25


THREE SEAT with center arms for use with add-on unit




SC-2X34-L Three Seat Add-on
Left leg only
Left end of run



SC-2X34-R Three Seat Add-on
Right leg only
Right end of run



SC-2X35-L Three Seat Add-on
Left leg for continuous add-on
Left add-on unit



SC-2X35-R Three Seat Add-on
Right leg for continuous add-on
Right add-on unit

SERIES	COM								DIMENSIONS				COM SHIP		CU FT
		2	3	4	5	6	7	8	W	D	H	SH SW/unit AH	YD	WT	
2234/2235	833	987	1065	1142	1220	1297	1374	1424	66 (1676)	27 (686)	32.5 (826)	18 20.25 26 (457) (514) (660)	6	125	25

2300 NOT APPLICABLE

2434/2435	780	924	997	1069	1142	1214	1287	1359	66 (1676)	27 (686)	32.5 (826)	18 20.25 26 (457) (514) (660)	6	115	25
2534/2535	780	924	997	1069	1142	1214	1287	1359	66.5 (1688)	27 (686)	32.5 (826)	18 20.25 26 (457) (514) (660)	6	115	25
2634/2635	871	1014	1098	1182	1264	1349	1431	1513	66.5 (1688)	27 (686)	32.5 (826)	18 20.25 26 (457) (514) (660)	7.5	115	25
2734/2735	855	999	1072	1144	1217	1290	1362	1434	66.5 (1688)	27 (686)	32.5 (826)	18 20.25 26 (457) (514) (660)	6	115	25

OPTIONS

Plastisol arm cap:
Specify black, taupe or graphite.
Specify wood side rail finish color.
Wallsaver Add 15% min. qty 25.
Floor glide inserts, specify on order.
Reinforced seat to 500 lb.
Back height 4" (36.5) higher, Add 5%
Back height 12.5" (45) higher, Add 10%
CAL 133

2200	2300	2400	2500	2600	2700
Curved	Curved	X	Straight	Straight	Straight
19.00	19.00		13.00	13.00	13.00
<input checked="" type="checkbox"/> N/C	X	X	X	X	X
<input checked="" type="checkbox"/>	X	X	X	X	X
46.00	46.00	46.00	46.00	46.00	46.00
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
32/seat	32/seat	32/seat	32/seat	32/seat	32/seat

STANDARD WOOD FINISHES

Parchment
Natural (Clear) Maple
Honey
Nutmeg
Classic
Crown
Regal
Castle Oak
English Oak
Honduras
Winchester

NOTE: Ritz is shipped in components for field assembly.

Ordering Procedures:

- ☒ Software model number ☒ Finish selection on Maple ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly.



Ritz Uptown
2200 Series




Ritz On the Park
2300 Series

Ritz Classic
2400 Series


Ritz Boulevard
2500 Series

Ritz Courtyard
2600 SeriesRitz Mission
2700 Series


ARMLESS THREE SEAT




SC-2X36 Three Seat
No center legs



SC-2X36-L Three Seat
Left connector




SC-2X36-R Three Seat
Right connector




SC-2X36-L/R Three Seat
Left and Right connector

Series	COM	2	3	4	5	6	7	8	W	D	DIMENSIONS			COM SHIP			CU
											H	SH	SW	YD	WT	FT	
2236	792	946	1023	1101	1178	1255	1333	1410	64.25 (1632)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)	6	112	25	
2300	NOT APPLICABLE																
2436	741	886	958	1031	1103	1175	1248	1320	64.25 (1632)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)	6	107	25	
2536	741	886	958	1031	1103	1175	1248	1320	64.25 (1632)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)	6	107	25	
2600	NOT APPLICABLE																
2700	NOT APPLICABLE																


ARMLESS THREE SEAT *for use as add-on unit*




SC-2X37-L Three Seat Add-on
Left leg only
Left end of run



SC-2X37-R Three Seat Add-on
Right leg only
Right end of run



SC-2X38-L Three Seat Add-on
Left leg for continuous add-on
Left add-on unit



SC-2X38-R Three Seat Add-on
Right leg for continuous add-on
Right add-on unit

SERIES	COM	2	3	4	5	6	7	8	W	D	DIMENSIONS				COM SHIP	CU	
											H	SH	SW		YD	WT	FT
2237/2238	750	905	982	1060	1137	1214	1291	1369	62.5 (1588)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)		6	108	25
2300	NOT APPLICABLE																
2437/2438	703	848	919	992	1065	1137	1210	1281	62.5 (1588)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)		6	103	25
2537/2538	703	848	919	992	1065	1137	1210	1281	62.5 (1588)	27 (686)	32.5 (826)	18 (457)	60.75 (1543)		6	103	25
2600	NOT APPLICABLE																
2700	NOT APPLICABLE																

OPTIONS	2200	2300	2400	2500	2600	2700
Bariatric CAL 133	49/seat	49/seat	49/seat	49/seat	49/seat	49/seat
Moisture barrier	19/seat	19/seat	19/seat	19/seat	19/seat	19/seat
Bariatric moisture barrier	25/seat	25/seat	25/seat	25/seat	25/seat	25/seat
Perimeter guard, specify front or back.	X	X	8/leg	8/leg	8/leg	8/leg
Two-tone finish, Add 5% specify arm color and leg color.	X	X	X	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Safety Glider - add SG to model number	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	X
SC-2X10, SC-2X10-L, SC-2X10-R, SC-2X10-L/R	Add 136 .00 to the COM and Graded price					

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	

NOTE: Ritz is shipped in
components for field assembly.

Ordering Procedures:

- ☒ Softcare model number ☒ Finish selection on Maple ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/
Left assembly.



Ritz Uptown
2200 Series



Ritz On the Park
2300 Series



Ritz Classic
2400 Series



Ritz Boulevard
2500 Series




Ritz Courtyard
2600 Series




Ritz Mission
2700 Series


INTERMEDIATE TABLE UNIT / TWO SEATS *without center arms*




SC-2X40 Intermediate Table/2
Seats without center arms, no
center legs



SC-2X40-L Intermediate Table/2 Seats
Left connector



SC-2X40-R Intermediate Table/2 Seats
Right connector




SC-2X40-L/R Intermediate Table/2 Seats
Left and Right connector


Center legs

SERIES	COM	2	3	4	5	6	7	8	DIMENSIONS						COM SHIP		CU FT
									W	D	H	SH	SW/unit	AH	YD	WT	
2240	763	869	922	976	1028	1081	1134	1187	64.25 (1632)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	125	25	
2340	797	933	989	1045	1100	1155	1211	1267	64.25 (1632)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	5.5	115	25
2440	714	813	863	914	963	1012	1062	1112	64.25 (1632)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	4	115	25
2540	714	813	863	914	963	1012	1062	1112	65.25 (1657)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	4	115	25
2640	775	873	930	989	1045	1102	1159	1216	65.25 (1657)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	5	115	25
2740	765	863	913	963	1018	1062	1112	1162	65.25 (1657)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	4	115	25


INTERMEDIATE TABLE UNIT / TWO SEATS *with center arms*




SC-2X41 Intermediate Table/2 Seats
With center arms, no center legs



SC-2X41-L Intermediate Table/2 Seats
Left connector



SC-2X41-R Intermediate Table/2 Seats
Right connector



SC-2X41-L/R Intermediate Table/2 Seats
Left and Right connector

SERIES	COM	2	3	4	5	6	7	8	DIMENSIONS						COM SHIP			CU FT
									W	D	H	SH	SW/unit	AH	YD	WT		
2241	829	934	988	1041	1095	1148	1202	1254	67.75 (1721)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	4	138	25	
2300	NOT APPLICABLE																	
2441	776	875	926	973	1025	1064	1123	1174	67.75 (1721)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	4	123	25	
2541	776	875	926	973	1025	1064	1123	1174	68.75 (1748)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	4	123	25	
2641	898	994	1059	1124	1189	1243	1317	1381	68.75 (1748)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	6	123	25	
2741	876	975	1025	1074	1125	1164	1224	1274	68.75 (1748)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	4	123	25	

OPTIONS

Plastisol arm cap:
Specify black, taupe or graphite.
Specify wood side rail finish color.
Wallsaver Add 15% min. qty 25.
Floor glide inserts, specify on order.
Reinforced seat to 500 lb.
Back height 4" (36.5) higher, Add 5%
Back height 12.5" (45) higher, Add 10%
CAL 133

2200
Curved
19.00
☒ N/C
46.00
☒
32/seat

2300
Curved
19.00
☒
46.00
☒
32/seat

2400
☒
☒
46.00
☒
32/seat

2500
Straight
13.00
☒
46.00
☒
32/seat

2600
Straight
13.00
☒
46.00
☒
32/seat

2700
Straight
13.00
☒
46.00
☒
32/seat

STANDARD WOOD FINISHES

Parchment
Natural (Clear) Maple
Honey
Nutmeg
Classic
Crown
Regal
Castle Oak
English Oak
Honduras
Winchester

NOTE: Ritz is shipped in
components for field assembly.

Ritz Series Seating

SIN 711-17

softcare

Ordering Procedures:

- ☒ Softcare model number ☒ Finish selection on Maple ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly.



Ritz Uptown
2200 Series



Ritz On the Park
2300 Series



Ritz Classic
2400 Series



Ritz Boulevard
2500 Series




Ritz Courtyard
2600 Series




Ritz Mission
2700 Series


INTERMEDIATE TABLE UNIT / ARMLESS TWO




SC-2X42 Intermediate Table/2 Seats
No center legs



SC-2X42-L Intermediate Table/2 Seats
Left connector




SC-2X42-R Intermediate Table/2 Seats
Right connector




SC-2X42-L/R Intermediate Table/2 Seats
Left and Right connector

SERIES	COM	2	3	4	5	6	7	8	W	D	DIMENSIONS			COM SHIP YD WT	CU FT
											H	SH	SW/unit		
2242	725	832	886	938	991	1045	1098	1152	64.25 (1632)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	4 112	25
2300	NOT APPLICABLE														
2442	679	778	829	879	928	979	1028	1067	64.25 (1632)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	4 107	25
2542	679	778	829	879	928	979	1028	1067	64.25 (1632)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	4 107	25
2600	NOT APPLICABLE														
2700	NOT APPLICABLE														


BENCH



SC-2X43 Armless Bench



SC-2X43-L Armless Bench
Left connector



SC-2X43-R Armless Bench
Right connector



SC-2X43-L/R Armless Bench
Left and Right connector

SERIES	COM	2	3	4	5	6	7	8	W	D	DIMENSIONS		COM SHIP YD WT	CU FT
											H	SH		
2243	454	486	504	520	536	553	569	585	44 (1118)	24 (610)	18 (457)	18 (457)	2 65	5
2300	NOT APPLICABLE													
2443	426	456	472	488	502	518	533	548	44 (1118)	24 (610)	18 (457)	18 (457)	2 60	5
2543	426	456	472	488	502	518	533	548	44 (1118)	24 (610)	18 (457)	18 (457)	2 60	5
2600	NOT APPLICABLE													
2700	NOT APPLICABLE													

OPTIONS

- Bariatric CAL 133
 Moisture barrier
 Bariatric moisture barrier
 Perimeter guard, specify front or back.
 Two-tone finish, Add 5%
 specify arm color and leg color.

Safety Glider - add SG to model number
 SC-2X10, SC-2X10-L, SC-2X10-R, SC-2X10-L/R

2200
49/seat
19/seat
25/seat
X
X
X

2300
49/seat
19/seat
25/seat
X
X
X

2400
49/seat
19/seat
25/seat
8/leg
8/leg
X

2500
49/seat
19/seat
25/seat
8/leg
8/leg
X

2600
49/seat
19/seat
25/seat
8/leg
8/leg
X

2700
49/seat
19/seat
25/seat
8/leg
8/leg
X

STANDARD WOOD FINISHES

- Parchment
 Natural (Clear) Maple
 Honey
 Nutmeg
 Classic
 Crown
 Regal
 Castle Oak
 English Oak
 Honduras
 Winchester

NOTE: Ritz is shipped in
 components for field assembly.

Add 136.00 to the COM and Graded price

Ordering Procedures:

- ☒ Softcare model number ☒ Finish selection on Maple ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly.



Ritz Uptown
2200 Series



Ritz On the Park
2300 Series



Ritz Classic
2400 Series



Ritz Boulevard
2500 Series




Ritz Courtyard
2600 Series




Ritz Mission
2700 Series


30" BARIATRIC SEATING (Ritz Uptown 2200 Series bears 1500 lb. static load. All other Ritz Series bear 1000 lb. static load.)




SC-2X60 Arm Chair
Stand alone unit



SC-2X60-L Arm Chair
Left connector




SC-2X60-R Arm Chair
Right connector




SC-2X60-L/R Arm Chair
Left and Right connector

SERIES	COM	2	3	4	5	6	7	8	DIMENSIONS						COM SHIP			CU FT
									W	D	H	SH	SW/unit	AH	YD	WT		
2260	434	487	514	540	567	594	619	646	34 (864)	27 (686)	32.5 (826)	18 (457)	30 (762)	26 (660)	3	80	10	
2360	450	531	558	586	614	642	670	697	34 (864)	27 (686)	32.5 (826)	18 (457)	30 (762)	26 (660)	4.5	96	10	
2460	410	460	484	509	534	560	584	610	34 (864)	27 (686)	32.5 (826)	18 (457)	30 (762)	26 (660)	3	70	10	
2560	410	460	484	509	534	560	584	610	35 (889)	27 (686)	32.5 (826)	18 (457)	30 (762)	26 (660)	3	70	10	
2660	471	520	551	584	616	650	681	713	34 (864)	27 (686)	32.5 (826)	18 (457)	30 (762)	26 (660)	4	70	10	
2760	460	510	534	559	584	610	634	660	35 (889)	27 (686)	32.5 (826)	18 (457)	30 (762)	26 (660)	3	70	10	


30" BARIATRIC ARM CHAIR for use as add-on units (Ritz Uptown 2200 Series bears 1500 lb. static load. All other Ritz Series bear 1000 lb. static load.)




SC-2X61-L Arm Chair Add-on
Left leg only
Left end of run



SC-2X61-R Arm Chair Add-on
Right leg only
Right end of run



SC-2X62-L Arm Chair Add-on
Left leg for continuous
Left add-on unit



SC-2X62-R Arm Chair Add-on
Right leg for continuous
Right add-on unit

SERIES	COM	2	3	4	5	6	7	8	DIMENSIONS						COM SHIP			CU FT
									W	D	H	SH	SW/unit	AH	YD	WT		
2261/2262	373	426	453	479	506	533	559	586	34 (864)	27 (686)	32.5 (826)	18 (457)	30 (762)	26 (660)	3	67	10	
2361/2362	387	466	496	523	551	579	607	635	34 (864)	27 (686)	32.5 (826)	18 (457)	30 (762)	26 (660)	3.75	75	10	
2461/2462	353	403	428	453	478	503	528	553	34 (864)	27 (686)	32.5 (826)	18 (457)	30 (762)	26 (660)	3	62	10	
2561/2562	353	403	428	453	478	503	528	553	34.5 (876)	27 (686)	32.5 (826)	18 (457)	30 (762)	26 (660)	3	62	10	
2661/2662	384	433	462	491	519	548	576	604	34 (864)	27 (686)	32.5 (826)	18 (457)	30 (762)	26 (660)	3.5	62	10	
2761/2762	379	428	454	478	503	528	553	578	34.5 (876)	27 (686)	32.5 (826)	18 (457)	30 (762)	26 (660)	3	62	10	

OPTIONS

- Plastisol arm cap:
 Specify black, taupe or graphite.
 Specify wood side rail finish color.
 Wallsaver Add 15% min. qty 25.
 Floor glide inserts, specify on order.
 Back height 4" (36.5) higher, Add 5%

2200

Curved
19.00

- ☒ N/C
☒

2300

Curved
19.00

- ☒

2400

X

- ☒

2500

Straight
13.00

- ☒

2600

Straight
13.00

- ☒

2700

Straight
13.00

- ☒

STANDARD WOOD FINISHES

- Parchment Regal
 Natural (Clear) Maple Castle Oak
 Honey English Oak
 Nutmeg Honduras
 Classic Winchester
 Crown

NOTE: Ritz is shipped in components for field assembly.

Ritz Series Seating

SIN 711-17

softcare

Ordering Procedures:

- ☒ Softcare model number ☒ Finish selection on Maple ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/
 Left assembly.



Ritz Uptown
2200 Series



Ritz On the Park
2300 Series



Ritz Classic
2400 Series



Ritz Boulevard
2500 Series




Ritz Courtyard
2600 Series




Ritz Mission
2700 Series


40.5" BARIATRIC ARM CHAIR (Ritz Uptown 2200 Series bears 1500 lb. static load. All other Ritz Series bear 1000 lb. static load.)




SC-2X65 Bariatric Arm Chair
Stand alone unit



SC-2X65-L Bariatric Arm Chair
Left connector




SC-2X65-R Bariatric Arm Chair
Right connector




SC-2X65-L/R Bariatric Arm Chair
Left and Right connector

SERIES	COM									DIMENSIONS						COM SHIP			CU
		2	3	4	5	6	7	8		W	D	H	SH	SW/unit	AH	YD	WT	FT	
2265	679	798	857	917	976	1034	1094	1153		44	27	32.5	18	40.5	26	4	92	18	
										(1118)	(686)	(826)	(457)	(1029)	(660)				
2365	709	862	925	987	1048	1110	1172	1222		44	27	32.5	18	40.5	26	5.5	108	18	
										(1118)	(686)	(826)	(457)	(1029)	(660)				
2465	636	747	802	858	913	969	1024	1080		44	27	32.5	18	40.5	26	4	82	18	
										(1118)	(686)	(826)	(457)	(1029)	(660)				
2565	636	747	802	858	913	969	1024	1080		45	27	32.5	18	40.5	26	4	82	18	
										(1143)	(686)	(826)	(457)	(1029)	(660)				
2665	706	815	880	945	1007	1071	1134	1198		45	27	32.5	18	40.5	26	5	82	18	
										(1143)	(686)	(826)	(457)	(1029)	(660)				
2765	694	805	860	915	971	1026	1081	1137		45	27	32.5	18	40.5	26	4	82	18	
										(1143)	(686)	(826)	(457)	(1029)	(660)				


40.5" BARIATRIC ARM CHAIR for use as add-on units (Ritz Uptown 2200 Series bears 1500 lb. static load. All other Ritz Series bear 1000 lb. static load.)




SC-2X66-L Bariatric
Arm Chair Add-on
Left leg only
Left end of run



SC-2X66-R Bariatric
Arm Chair Add-on
Right leg only
Right end of run



SC-2X67-L Bariatric
Arm Chair Add-on
Left leg for continuous
Left add-on unit



SC-2X67-R Bariatric
Arm Chair Add-on
Right leg for continuous
Right add-on unit

SERIES	COM									DIMENSIONS						COM SHIP			CU
		2	3	4	5	6	7	8		W	D	H	SH	SW/unit	AH	YD	WT	FT	
2266/2267	612	729	790	849	908	967	1026	1086		42.25	27	32.5	18	40.5	26	4	79	18	
										(1073)	(686)	(826)	(457)	(1029)	(660)				
2366/2367	639	791	854	917	979	1040	1102	1164		42.25	27	32.5	18	40.5	26	4.75	87	18	
										(1073)	(686)	(826)	(457)	(1029)	(660)				
2466/2467	573	683	739	795	850	905	961	1017		42.25	27	32.5	18	40.5	26	4	74	18	
										(1073)	(686)	(826)	(457)	(1029)	(660)				
2566/2567	573	683	739	795	850	905	961	1017		42.75	27	32.5	18	40.5	26	4	74	18	
										(1085)	(686)	(826)	(457)	(1029)	(660)				
2666/2667	608	718	779	839	897	957	1016	1076		42.75	27	32.5	18	40.5	26	4.5	74	18	
										(1085)	(686)	(826)	(457)	(1029)	(660)				
2766/2767	602	712	769	824	879	935	989	1046		42.75	27	32.5	18	40.5	26	4	74	18	
										(1085)	(686)	(826)	(457)	(1029)	(660)				

OPTIONS

- Bariatric CAL 133
 Bariatric moisture barrier
 Perimeter guard, specify front or back.
 Two-tone finish, Add 5%
 specify arm color and leg color.

2200	2300	2400	2500	2600	2700
49/seat	49/seat	49/seat	49/seat	49/seat	49/seat
25/seat	25/seat	25/seat	25/seat	25/seat	25/seat
X	X	8/leg	8/leg	8/leg	8/leg
X	X	X	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

STANDARD WOOD FINISHES

- Parchment
 Natural (Clear) Maple
 Honey
 Nutmeg
 Classic
 Crown
 Regal
 Castle Oak
 English Oak
 Honduras
 Winchester

NOTE: Ritz is shipped in
 components for field assembly.

Ordering Procedures:

- ☒ Softcare model number ☒ Finish selection on Maple ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly.



Ritz Uptown
2200 Series



Ritz On the Park
2300 Series



Ritz Classic
2400 Series



Ritz Boulevard
2500 Series



Ritz Courtyard
2600 Series



Ritz Mission
2700 Series

2200 SERIES UPTOWN EASY ACCESS CHAIR



SC-2207 Easy Access Chair

SC-2207 Easy Access Chair									DIMENSIONS				COM SHIP			CU	
SERIES	COM	2	3	4	5	6	7	8	W	D	H	SH	SW/unit	AH	YD	WT	FT
Available on contract GS27-0008S as seen on page 96									24 (610)	27 (686)	38.5 (978)	24 (610)	20.25 (514)	32 (813)	69	18	

2500 SERIES BOULEVARD EASY ACCESS CHAIR



SC-2507 Easy Access Chair

SC-2507 Easy Access Chair									DIMENSIONS						COM SHIP			CU
SERIES	COM	2	3	4	5	6	7	8	W	D	H	SH	SW/unit	AH	YD	WT	FT	
Available on contract GS27-0008S as seen on page 96									25 (635)	27 (686)	38.5 (978)	24 (610)	20.25 (514)	32 (813)	2	59	18	

RITZ SERIES SEATING REPLACEMENT PARTS

SIN 711-17

	ARM/LEG ASSEMBLY	LEG ONLY	ARM ONLY	WOOD ARM CAP	MAPLE SIDE TRIM	PLASTISOL ARM CAP	2300 BASE CAP
2200	112	X	89	42	25	42	X
2300	X	X	X	42	X	X	42
2400	73	54	44	X	X	X	X
2500	73	54	44	32	X	36	X
2600	X	X	X	32	X	36	X
2700	103	X	44	32	X	36	X

OPTIONS

	2200	2300	2400	2500	2600	2700
Plastisol arm cap: Specify black, taupe or graphite.	Curved 19.00	Curved 19.00	X	Straight 13.00	Straight 13.00	Straight 13.00
Specify wood side rail finish color.						
Floor glide inserts, specify on order.	<input checked="" type="checkbox"/> N/C	X	X	X	X	X
Reinforced seat to 500 lb.	46.00	46.00	46.00	46.00	46.00	46.00
Back height 4" (36.5) higher, Add 5%	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
CAL 133	32/seat	32/seat	32/seat	32/seat	32/seat	32/seat

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	

NOTE: Ritz is shipped in components for field assembly.

Ritz Series Seating

SIN 711-17

softcare

Ordering Procedures:

- ☒ Softcare model number ☒ Finish selection on Maple ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly.



Ritz Uptown
2200 Series



Ritz On the Park
2300 Series



Ritz Classic
2400 Series



Ritz Boulevard
2500 Series





Ritz Courtyard
2600 Series



Ritz Mission
2700 Series

RITZ SERIES SEATING REPLACEMENT PARTS

	COM	2	3	4	5	6	7	8	COM YD
 2X00-S Seat cover	43	74	89	105	120	135	150	166	1
 2X60-S 30" Bariatric seat cover	52	88	107	126	144	162	180	199	
2X65-S 40.5" Bariatric seat cover	87	147	178	210	239	270	301	332	
2X00-B Back cover	43	74	89	105	119	134	149	166	1
2X60-B 30" Bariatric back cover	52	88	107	126	144	162	180	199	
2X65-B 40.5" Bariatric back cover	87	147	178	210	239	270	301	332	
2X00-B Back cover 4" higher	46	77	92	110	125	140	156	174	1.5
Seat webbing	8 per set of 5								
SC-2300-AP Arm panel each Upholstered arm panel without wood cap or base (order cap and base separately below). Includes 2 threaded steel rods for fastening arm and base caps. Specify Left/Right/Center SC-2300-AP Arm panel.	96	119	136	152	169	186	203	220	.75
SC-2400-AP Closed arm panel each Not available on center arms.	29	43	51	59	67	75	83	90	0.5
2600 Series Arm/leg assembly	106	114	119	124	129	135	140	145	0.5
2600 Series Arm only (used as a center arm)	106	114	119	124	129	135	140	145	0.5

OPTIONS

Bariatric CAL 133	49/seat	49/seat	49/seat	49/seat	49/seat	49/seat
Moisture barrier	19/seat	19/seat	19/seat	19/seat	19/seat	19/seat
Bariatric moisture barrier	25/seat	25/seat	25/seat	25/seat	25/seat	25/seat
Perimeter guard, specify front or back.	X	X	8/leg	8/leg	8/leg	8/leg
Two-tone finish, Add 5% specify arm color and leg color.	X	X	X	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Safety Glider - add SG to model number	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	X
SC-2X10, SC-2X10-L, SC-2X10-R, SC-2X10-L/R						

2200	2300	2400	2500	2600	2700
49/seat	49/seat	49/seat	49/seat	49/seat	49/seat
19/seat	19/seat	19/seat	19/seat	19/seat	19/seat
25/seat	25/seat	25/seat	25/seat	25/seat	25/seat
8/leg	8/leg	8/leg	8/leg	8/leg	8/leg
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Add **136.00** to the COM and Graded price

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	

NOTE: Ritz is shipped in
components for field assembly.

Ordering Procedures:


☒ Softcare model number ☒ Edge finish ☒ Top laminate selection

☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for

specification of Right/Left assembly.

RITZ INTERCONNECTING TABLES

MAPLE EDGED TOPS



Width 20.25 (514)
Depth 24 (610)
Height 16.5 (419)
Ship Weight 16
Cubic Feet 1

SC-2250 In-line intermediate table for add-on use **204**

SC-2251-L End table **248**

Left includes leg* for add-on use

SC-2251-R End table **248**

Right includes leg* for add-on use

*Specify LEG STYLE by adding corresponding number to model number:

e.g. **SC-2251-L-2** for Ritz Uptown leg

-2 Ritz Uptown


Width 22.25 (565)
Depth 24 (610)
Height 16.5 (419)
Ship Weight 20
Cubic Feet 1

-4 Ritz Classic

-5 Ritz Boulevard


Note: Courtyard and Mission use

-5 Boulevard leg style



Height 16.5 (419)
Ship Weight 15
Cubic Feet 1

SC-2252 45 degree table **252**



SC-2253 Corner table includes leg **295**

*Specify LEG STYLE by adding corresponding number to model number:

e.g. **SC-2253-2** for Ritz Uptown leg

-2 Ritz Uptown


Width 29.5 (749)
Depth 29.5 (749)
Height 16.5 (419)
Ship Weight 40
Cubic Feet 2

-4 Ritz Classic

-5 Ritz Boulevard

Note: Courtyard and Mission use


-5 Boulevard leg style



Width 29.5 (749)
Depth 29.5 (749)
Height 16.5 (419)
Ship Weight 40
Cubic Feet 2

SC-2254 90 degree curved table **295**

3mm PVC EDGED TOPS



Width 20.25 (514)
Depth 24 (610)
Height 16.5 (419)
Ship Weight 16
Cubic Feet 1

SC-2150 In-line intermediate table for add-on use **128**

SC-2151-L End table **177**

Left includes leg* for add-on use

SC-2151-R End table **177**

Right includes leg* for add-on use

*Specify LEG STYLE by adding corresponding number to model number:

e.g. **SC-2151-L-2** for Ritz Uptown leg

-2 Ritz Uptown


Width 22.25 (565)
Depth 24 (610)
Height 16.5 (419)
Ship Weight 20
Cubic Feet 1

-4 Ritz Classic

-5 Ritz Boulevard


Note: Courtyard and Mission use

-5 Boulevard leg style



Height 16.5 (419)
Ship Weight 15
Cubic Feet 1

SC-2152 45 degree table **128**



SC-2153 Corner table includes leg **188**

*Specify LEG STYLE by adding corresponding number to model number:

e.g. **SC-2153-2** for Ritz Uptown leg

-2 Ritz Uptown


Width 29.5 (749)
Depth 29.5 (749)
Height 16.5 (419)
Ship Weight 40
Cubic Feet 2

-4 Ritz Classic

-5 Ritz Boulevard

Note: Courtyard and Mission use

-5 Boulevard leg style



Width 29.5 (749)
Depth 29.5 (749)
Height 16.5 (419)
Ship Weight 40
Cubic Feet 2

SC-2154 90 degree curved table **188**

RITZ TABLES

All tables are available in standard Softcare laminate finishes. Table tops are attached to chairs with brackets (included). All bolts fasten "steel to steel" into threaded inserts. Wood edged tops have a 1" thick Maple bullnosed edge with HPL top. PVC edged tops are 1" thick with matching PVC edge with 1/8" radius.

Special customer specified laminates are available in standard pattern high pressure laminates from Nevamar, Formica, Wilsonart.

Quantities of 5 or less in the same top laminate require a 10% upcharge.

Non-standard laminates will use black 3mm edges on the PVC edged tops.

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	

NOTE: Ritz is shipped in components for field assembly.

Ritz Series Tables

SIN 711-11

softcare

Ordering Procedures where applicable:

- ☒ Softcare model number ☒ Top laminate selection ☒ Urethane edge color (black, graphite or taupe) ☒ Metal leg color (silver or black)
☒ Maple edge finish ☒ Wood finish ☒ Special requirements and options


RITZ FREE-STANDING TABLES

Ritz Uptown 2200 Series

1 1/4" thick urethane edged high pressure laminate tops with Ritz Uptown 2200 Series legs.


Edge on 20 x 24 and 25.5 x 25.5 top is 1 1/2" wide

Edge on 36D, 36 x 36 and 42D top is 2 1/2" wide



	PRICE	W	DIMENSIONS D	H	SHIP WT.	CU. FT.
2000-20-24-16	206	20 (508)	24 (610)	16 (406)	30	2
2000-20-24-21		20 (508)	24 (610)	21 (533)	32	2
2000-25.5-25.5-16		25.5 (648)	25.5 (648)	16 (406)	37	3
2000-25.5-25.5-21	249	25.5 (648)	25.5 (648)	21 (533)	39	3
2000-36D-16	282	36 (648) diameter		16 (406)	60	5
2000-36-36-16	286	36 (914)	36 (914)	16 (406)	65	5
2000-42D-16	319	42 (1067) diameter		16 (406)	85	6


1" thick wood (Maple) bullnosed or 3MM PVC edged high pressure laminate top with Ritz Uptown 2200 Series legs.



	MAPLE EDGE	PVC EDGE	W	DIMENSIONS D	H	SHIP WT.	CU. FT.
2255-20-24-16	247	187	20 (508)	24 (610)	16 (406)	25	2
2255-20-24-21			20 (508)	24 (610)	21 (533)	27	2
2255-26-26-16	310	226	26 (660)	26 (660)	16 (406)	32	3
2255-26-26-21			26 (660)	26 (660)	21 (533)	34	3
2255-32-22-16	318	231	32 (813)	22 (559)	16 (406)	37	3
2255-48-18-16	361	275	48 (1218)	18 (457)	16 (406)	41	4

Ritz Classic 2400 Series


1" thick wood (Maple) bullnosed edge or 3mm PVC edged high pressure laminate top, wood apron and Ritz Classic 2400 series legs.



	MAPLE EDGE	PVC EDGE	W	DIMENSIONS D	H	SHIP WT.	CU. FT.
2455-20-24-16	247	187	20 (508)	24 (610)	16 (406)	23	2
2455-20-24-21			20 (508)	24 (610)	21 (533)	25	2
2455-26-26-16	310	226	26 (660)	26 (660)	16 (406)	30	3
2455-26-26-21			26 (660)	26 (660)	21 (533)	32	3
2455-32-22-16	318	231	32 (813)	22 (559)	16 (406)	35	3
2455-48-18-16	361	275	48 (1218)	18 (457)	16 (406)	39	4

Ritz Boulevard 2500 Series

1" thick wood (Maple) bullnosed edge or 3mm PVC edged high pressure laminate top, wood apron and Ritz Boulevard 2500 series legs.



	MAPLE EDGE	PVC EDGE	W	DIMENSIONS D	H	SHIP WT.	CU. FT.
2555-20-24-16	247	187	20 (508)	24 (610)	16 (406)	23	2
2555-20-24-21			20 (508)	24 (610)	21 (533)	25	2
2555-26-26-16	310	226	26 (660)	26 (660)	16 (406)	30	3
2555-26-26-21			26 (660)	26 (660)	21 (533)	32	3
2555-32-22-16	318	231	32 (813)	22 (559)	16 (406)	35	3
2555-48-18-16	361	275	48 (1218)	18 (457)	16 (406)	39	4

STANDARD WOOD FINISHES

Parchment Regal
 Natural (Clear) Maple Castle Oak
 Honey English Oak
 Nutmeg Honduras
 Classic Winchester
 Crown

NOTE: Ritz is shipped in components for field assembly.

Comfortable, versatile and durable, the innovative Aspekt Series is designed to satisfy all your public area seating needs. The look is sleek creating a welcoming and uncluttered environment. Wave-shaped arms and back contours are supported by oval steel frames that are strong yet lightweight. Two available backshapes with convex or concave top profile can be used individually or combined to create a unique wavelike profile in a line of seating.



aspekt seating system



Beneath the contemporary appearance, Aspekt has comfort that is untouchable. The active web-seat suspension delivers long-term seating comfort while the arm caps overhang the legs providing an easy-grip ledge. Another feature is the clean-out space between the back and seat. In addition to the traditional single seat design, Aspekt series seating is available in two and three chair configurations, bariatric wide chair, easy access chair, patient high-back and foot stool.

Aspekt is as practical as it is attractive. Seat and back covers simply zipper in place and are field replaceable without the need for special tools. Arm caps can be changed quickly and easily using one specialized tool and the active webbed seat suspension is also field replaceable if damaged.

Seating units can be ganged with ganging brackets or connecting tables to form a variety of configurations to make maximum use of your available space while single, two and three seat chairs come pre-assembled to help reduce installation costs.

Coordinating Aspekt Series freestanding tables optimize functionality. Available in round, oval, bow, interconnecting, bench and wave shapes, they feature our wear-resistant high-pressure laminate in standard Softcare colors with 3mm pvc edges. Impact-resistant edges have 1/8" radius top and bottom for a smooth-to-the-touch finish.

Arm caps: Maple wood or
Plastisol-coated steel

Frames: Silver or Black-powder coated

Glides: Black nylon



Aspekt Series Seating

softcare



Ordering Procedures:

- ☒ Softcare model number ☒ Back selection ☒ Frame color selection ☒ Arm color selection ☒ Fabric number/name/grade/color
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly.



INTERMEDIATE ARM

FULL HEIGHT ARM/LEG BETWEEN SEATS



SC-4060-W
SC-4060-P
BARIATRIC CHAIR



SC-4043
BENCH



SC-4009
CHAIR GANGING
BRACKETS



SC-4045
FOOT STOOL

ADDITIONAL ITEMS

- SC-4000-UP CLOSED ARM PANEL UPHOLSTERED
 SC-4000-WP CLOSED ARM PANEL WOOD VENEER
 SC-4000-A REPLACEMENT BACK COVER - A STYLE
 SC-4000-B REPLACEMENT BACK COVER - B STYLE
 SC-4000-S REPLACEMENT SEAT COVER
 SC-4000-W REPLACEMENT MAPLE ARM CAP
 SC-4000-P REPLACEMENT PLASTISOL ARM CAP

GANGING TABLES - 4000 SERIES (INCLUDES BRACKETS)




SC-4050
INLINE




SC-4051
END TABLE
INCLUDES FIG



SC-4052
45 DEGREE



SC-4054
90 DEGREE




SC-4053
CORNER

FREESTANDING TABLES - 4000 SERIES



SC-4055



SC-4056



SC-4057



SC-4058



Patient Chair
Foot Stool


Ordering Procedures:

☒ Softcare model number ☒ Back selection ☒ Frame color selection ☒ Arm color selection ☒ Fabric number/name/grade/color
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly.

Aspekt Back Style Selection:


The letter **X** in the model numbers refers to the back style either "**A**" (convex back style) or "**B**" (concave back style) as indicated in the line drawing.

BACK STYLES




Note:
 All back styles shown below are "A".
 All "H" dimensions are A back style.
 B back style is 1" less than A.


EXAMPLES




X = BACK STYLE SELECTION




MODEL	COM	2	3	4	5	6	7	8	W	D	H	SH	SW	AH	COM YD	SHIP WT	CU FT
SC-4010X-W	236	263	280	298	315	332	349	366	22.75 (577)	27 (686)	33 (838)	18 (457)	20 (508)	26 (660)	1.8	29	14
SC-4010X-P	236	263	280	298	315	332	349	366	22.75 (577)	27 (686)	33 (838)	18 (457)	20 (508)	25.5 (648)	1.8	33	14




SC-4020XX-W	382	435	469	504	538	574	608	642	43 (1092)	27 (686)	33 (838)	18 (457)	40 (1016)	26 (660)	3.6	43	27
SC-4020XX-P	382	435	469	504	538	574	608	642	43 (1092)	27 (686)	33 (838)	18 (457)	40 (1016)	25.5 (648)	3.6	47	27



SC-4030XXX-W	520	599	650	704	755	808	859	911	63.25 (1606)	27 (686)	33 (838)	18 (457)	60 (1524)	26 (660)	5.4	57	38
SC-4030XXX-P	520	599	650	704	755	808	859	911	63.25 (1606)	27 (686)	33 (838)	18 (457)	60 (1524)	25.5 (648)	5.4	62	38



SC-4023XX-W	418	471	505	540	574	610	644	678	44 (1118)	27 (686)	33 (838)	18 (457)	20 (508)	26 (660)	3.6	46	27
SC-4023XX-P	418	471	505	540	574	610	644	678	44 (1118)	27 (686)	33 (838)	18 (457)	20 (508)	25.5 (648)	3.6	54	27



SC-4033XXX-W	595	674	725	779	830	884	935	986	65.5 (1663)	27 (686)	33 (838)	18 (457)	20 (508)	26 (660)	5.4	63	38
SC-4033XXX-P	595	674	725	779	830	884	935	986	65.5 (1663)	27 (686)	33 (838)	18 (457)	20 (508)	25.5 (648)	5.4	72	38

OPTIONS

CAL 133	31.00/seat	Model Number Suffixes:
Moisture barrier	18.00/seat	S seat cover
Standard plastisol colors: black, taupe, graphite		W solid maple arm cap
Standard frame colors: black, silver		P plastisol arm cap

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	


Ordering Procedures:

- ☒ Softcare model number ☒ Back selection ☒ Frame color selection ☒ Arm color selection ☒ Fabric number/name/grade/color
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly.

Aspekt Back Style Selection:

The letter **X** in the model numbers refers to the back style either "**A**" (convex back style) or "**B**" (concave back style) as indicated in the line drawing.




BACK STYLES











Note:

All back styles shown below are "A".
 All "H" dimensions are A back style.
 B back style is 1" less than A.

EXAMPLES



X = BACK STYLE SELECTION

	MODEL	COM									DIMENSIONS						COM YD	SHIP WT	CU FT	
			2	3	4	5	6	7	8	W	D	H	SH	SW	AH					
	SC-4026XX-W	425	478	512	548	582	618	652	686	44 (1118)	27 (686)	33 (838)	18 (457)	20 (508)	26 (660)	3.6	48	27		
	SC-4026XX-P	425	478	512	548	582	618	652	686	44 (1118)	27 (686)	33 (838)	18 (457)	20 (508)	25.5 (648)	3.6	55	27		
	SC-4036XXX-W	606	685	736	790	841	894	945	996	65.5 (1663)	27 (686)	33 (838)	18 (457)	20 (508)	26 (660)	5.4	67	38		
	SC-4036XXX-P	606	685	736	790	841	894	945	996	65.5 (1663)	27 (686)	33 (838)	18 (457)	20 (508)	25.5 (648)	5.4	76	38		
	Patient Chair																			
	SC-4085-W	Available on contract GS27-0008S as seen on page 98										22.75 (577)	29 (737)	45 (1143)	18 (457)	20 (508)	26 (660)	2.25	31	20
	SC-4085-P	Available on contract GS27-0008S as seen on page 98										22.75 (577)	29 (737)	45 (1143)	18 (457)	20 (508)	25.5 (648)	2.25	35	20
	Bariatric Chair (750 lb. static load)																			
	SC-4060-W	301	345	374	404	432	462	490	518	33 (838)	27 (686)	33 (838)	18 (457)	30 (762)	26 (660)	3.0	45	20		
	SC-4060-P	301	345	374	404	432	462	490	518	33 (838)	27 (686)	33 (838)	18 (457)	30 (762)	25.5 (648)	3.0	49	20		
	Easy Access Chair																			
	SC-4007-W	Available on contract GS27-0008S as seen on page 98										22.75 (577)	27 (686)	39 (989)	24 (610)	20 (508)	32 (813)	1.8	33	20
	SC-4007-P	Available on contract GS27-0008S as seen on page 98										22.75 (577)	27 (686)	39 (989)	24 (610)	20 (508)	31.5 (800)	1.8	37	20
	Bench																			
	SC-4043	172	187	196	206	215	225	235	244	32 (813)	22 (559)	18 (457)				1.0	24	6.5		
	Footstool																			
	SC-4045	108	117	123	129	134	140	146	152	18.5 (470)	12 (305)	14 (356)				0.6	10	2		
	Chair Ganging Brackets																			
	SC-4009	18																		

OPTIONS

Yardage requirements listed are for plain fabric (all one color for seat and back) for a single unit.

For patterned fabric requiring matching or for different fabric on seat and back, additional yardage is required.

2.25 yards/seat unit for patterned fabric.

3.25 yards/bariatric seat unit for patterned fabric.

1.25 yards/back and 1.25 yards/seat for different fabrics/seat and back.

Bariatric: 1.25 yards/back and 2 yards/seat for different fabrics.




Bariatric Chair (750 lb. static load)

Ordering Procedures:

- ☒ Softcare model number ☒ Frame color selection ☒ Fabric number/name/grade/color
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating
 cation of Right/Left assembly.


All table tops are laminate with 3 mm edges. Available in standard Softcare laminate finishes.
 Non-standard laminates will use black 3 mm edges.

Ganging Tables




W	D	H	SHIP Wt	CU Ft
20.25	21.75	16	11	1
(514)	(552)	(406)		

SC-4050 Inline 138




W	D	H	SHIP Wt	CU Ft
16	21.75	16	11	1
(406)	(552)	(406)		

SC-4051-L End 182
SC-4051-R End 182
 includes Leg





W	D	H	SHIP Wt	CU Ft
22.25	21.75	16	11	1
(565)	(552)	(406)		

SC-4052 146
45 degree



W	D	H	SHIP Wt	CU Ft
29.75	29.75	16	11	1
(756)	(756)	(406)		

SC-4054 174
90 degree

W	D	H	SHIP Wt	CU Ft
29.75	29.75	16	11	1
(756)	(756)	(406)		

SC-4053 Corner 173

Freestanding Tables



W	D	H	SHIP Wt	CU Ft
32	22	16	24	7.5
(813)	(559)	(406)		

SC-4055 229
Oval



W	D	H	SHIP Wt	CU Ft
32	22	16	24	7.5
(813)	(559)	(406)		

SC-4056 219
Swerve



W	D	H	SHIP Wt	CU Ft
20	18	21	21	
6.75				

SC-4057 204
Bow



DIA	H	SHIP Wt	CU Ft
22	21	21	
6.75			

SC-4058 220
Round

Aspekt Additional Items and Replacement Parts

	COM	2	3	4	5	6	7	8	COM YD
SC-4000-UP closed arm panel upholstered each arm	28	36	41	45	50	55	60	65	.5
SC-4000-WP closed arm panel wood veneer	35								each arm
SC-4000-A replacement back cover - A style	31	45	55	65	74	84	94	103	1.25
SC-4000-B replacement back cover - B style	31	45	55	65	74	84	94	103	1.25
SC-4000-S replacement seat cover	31	45	55	65	74	84	94	103	1.25
SC-4000-W replacement maple arm cap	28								
SC-4000-P replacement plastisol arm cap	28								
replacement seat webbing (set of 6)	9								

OPTIONS

CAL 133	31.00/seat
Moisture barrier	18.00/seat
Standard plastisol colors: black, taupe, graphite	
Standard frame colors: black, silver	

Model Number Suffixes:

S	seat cover
W	solid maple arm cap
P	plastisol arm cap

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	

R2 5000 5100 series

Public Area seating

R2 5000 & 5100 Series are multiple seating series designed to be interconnected to form a variety of configurations.

Left and right attachment is viewed from the front facing the seating.

In-line interconnecting tables are available in stainless high pressure laminate, together with R2 freestanding tables.

R2 5000 Series Seating features upholstered 3" wide arm panels on 3/4" x 2" rectangular brushed stainless finished bases.

R2 5100 Series Seating features upholstered 2" wide arm panels on 1 1/4" diameter brushed stainless finished "wall saver" bases.

Full height arms permits single seat units, multiples of single seats with full height intermediate center arms and two and three seat multiple units.

Upholstered arm panels are precise CNC-machined with threaded steel inserts to accept assembly bolts. All bolts are 5/16" - 18 x 1" with tamper resistant button socket cup (Allen key fastening). Each side arm can be easily replaced in the field by removing 4 bolts.

R2 5000 and 5100 options include wood arm caps, available in standard Softcare finishes and plastisol arm caps in black, taupe or graphite.



R2 5000 Series Seating




R2 5100 Series Seating




Ordering Procedures:

- ☒ Softcare model number ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly.




**R2 5000
Series Seating**




**R2 5100
Series Seating**


ARM CHAIR




SC-5X10 Arm Chair
Stand alone unit



SC-5X10-L Arm Chair
Left connector




SC-5X10-R Arm Chair
Right connector




SC-5X10-L/R Arm Chair
Left and Right connector

SERIES	COM	2	3	4	5	6	7	8	DIMENSIONS						COM SHIP			CU FT
									W	D	H	SH	SW	AH	YD	WT		
5010	421	509	540	570	601	632	662	693	26.25 (667)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	3.5	59	9	
5110	439	533	564	596	628	661	692	725	24.25 (616)	31 (787)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	3.5	59	9	


ARM CHAIR for use as add-on units




SC-5X11-L Arm Chair Add-on
Left leg only
Left end of run



SC-5X11-R Arm Chair Add-on
Right leg only
Right end of run




SC-5X12-L Arm Chair Add-on
Left leg for continuous
Left add-on unit




SC-5X12-R Arm Chair Add-on
Right leg for continuous
Right add-on unit

SERIES	COM	2	3	4	5	6	7	8	DIMENSIONS						COM SHIP			CU FT
									W	D	H	SH	SW	AH	YD	WT		
5011	352	439	471	501	531	562	593	624	23.25 (591)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	2.75	46	9	
5111	367	459	492	524	555	588	620	653	22.25 (565)	31 (787)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	2.75	46	9	


TWO SEAT




SC-5X20 Two Seat



SC-5X20-L Two Seat
Left connector



SC-5X20-R Two Seat
Right connector



SC-5X20-L/R Two Seat
Left and Right connector

SERIES	COM	2	3	4	5	6	7	8	DIMENSIONS						COMSHIP			CU FT
									W	D	H	SH	SW	AH	YD	WT		
5020	679	825	885	944	1003	1062	1121	1169	46.5 (1181)	27 (686)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	5.5	92	18	
5120	709	862	925	987	1048	1110	1172	1222	44.5 (1130)	31 (787)	32.5 (826)	18 (457)	20.25 (514)	26 (660)	5.5	92	18	

OPTIONS

R2 Series	
CAL 133	32.00/seat
Reinforced seat to 500 lb.	46.00/seat
Moisture barrier	19.00/seat
Plastisol arm cap	R2 5000 19.00 each
Specify black, taupe or graphite.	R2 5100 28.00 each
Wood arm cap	R2 5000 28.00 each
	R2 5100 38.00 each

STANDARD BASE FINISH

Brushed stainless finish

STANDARD WOOD FINISHES

for optional wood arm cap	
Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	

R2 Series Seating


SIN 711-17

softcare


Ordering Procedures:

- ☒ Softcare model number ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/


TWO SEAT for use as add-on units




SC-5X21-L Two Seat Add-on
Left leg only
Left end of run



SC-5X21-R Two Seat Add-on
Right leg only
Right end of run




SC-5X22-L Two Seat Add-on
Left leg for continuous add-on
Left add-on unit




SC-5X22-R Two Seat Add-on
Right leg for continuous add-on
Right add-on unit

SERIES	COM	2		3		4		5		6		7		8		W	D	DIMENSIONS				COM SHIP			CU
																		H	SH	SW	AH	YD	WT	FT	
5021/22	611	757		817		877		936		995		1054		1114		43.5	27	32.5	18	20.25	26	4.75	79	18	
																(1105)	(686)	(826)	(457)	(514)	(660)				
5121/22	639	791		854		917		979		1040		1102		1164		42.5	31	32.5	18	20.25	26	4.75	79	18	
																(1080)	(787)	(826)	(457)	(514)	(660)				


THREE SEAT




SC-5X30 Three Seat



SC-5X30-L Three Seat
Left connector




SC-5X30-R Three Seat
Right connector




SC-5X30-L/R Three Seat
Left and Right connector

SERIES	COM	2		3		4		5		6		7		8		W	D	DIMENSIONS				COM SHIP			CU
																		H	SH	SW	AH	YD	WT	FT	
5030	951	1126		1246		1334		1423		1512		1601		1690		66.75	27	32.5	18	20.25	26	7.5	125	25	
																(1695)	(686)	(826)	(457)	(514)	(660)				
5130	994	1177		1302		1395		1488		1581		1674		1767		64.75	31	32.5	18	20.25	26	7.5	125	25	
																(1645)	(787)	(826)	(457)	(514)	(660)				


THREE SEAT for use as add-on unit




SC-5X31-L Three Seat Add-on
Left leg only
Left end of run



SC-5X31-R Three Seat Add-on
Right leg only
Right end of run




SC-5X32-L Three Seat Add-on
Left leg for continuous add-on
Left add-on unit




SC-5X32-R Three Seat Add-on
Right leg for continuous add-on
Right add-on unit

SERIES	COM	2		3		4		5		6		7		8		W	D	DIMENSIONS				COM SHIP			CU
																		H	SH	SW	AH	YD	WT	FT	
5031/32	884	1089		1177		1266		1355		1445		1534		1622		63.75	27	32.5	18	20.25	26	6.75	112	25	
																(1619)	(686)	(826)	(457)	(514)	(660)				
5131/32	924	1138		1231		1324		1417		1511		1604		1696		62.75	31	32.5	18	20.25	26	6.75	112	25	
																(1594)	(787)	(826)	(457)	(514)	(660)				


INTERMEDIATE TABLE UNIT / TWO SEATS




SC-5X40 Intermediate Table/2
Seats



SC-5X40-L Intermediate Table/2 Seats
Left connector



SC-5X40-R Intermediate Table/2 Seats
Right connector



SC-5X40-L/R Intermediate Table/2 Seats
Left and Right connector

SERIES	COM	2		3		4		5		6		7		8		W	D	DIMENSIONS				COM SHIP			CU
																		H	SH	SW	AH	YD	WT	FT	
5040	877	1026		1088		1149		1210		1271		1332		1393		66.75	27	32.5	18	20.25	26	5.5	125	25	
																(1695)	(686)	(826)	(457)	(514)	(660)				
5140	917	1073		1137		1201		1265		1329		1393		1457		64.75	31	32.5	18	20.25	26	5.5	125	25	
																(1645)	(787)	(826)	(457)	(514)	(660)				

OPTIONS

R2 SERIES

CAL 133		32.00/seat
Reinforced seat to 500 lb.		46.00/seat
Moisture barrier		19.00/seat
Plastisol arm cap	R2 5000	19.00 each
Specify black, taupe or graphite.	R2 5100	28.00 each
Wood arm cap	R2 5000	28.00 each
	R2 5100	38.00 each

STANDARD BASE FINISH

Brushed stainless finish

STANDARD WOOD FINISHES


for optional wood arm cap

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	


Ordering Procedures:

- ☒ Softcare model number ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/


30" BARIATRIC ARM CHAIR (R2 Series bears 1000 lb. static load.)




SC-5X60 Arm Chair
Stand alone unit



SC-5X60-L Arm Chair
Left connector




SC-5X60-R Arm Chair
Right connector




SC-5X60-L/R Arm Chair
Left and Right connector

SERIES	COM	2		3		4		5		6		7		8		DIMENSIONS						COMSHIP			CU
		W	D	H	SH	SW	AH	YD	WT	FT	YD	WT	FT	YD	WT	FT	YD	WT	FT	YD	WT	FT	YD	WT	FT
5060	495	584	614	645	676	706	736	767	36 (914)	27 (686)	32.5 (826)	18 (457)	30 (762)	26 (660)	4.5	96	10								
5160	518	610	642	674	706	739	770	802	34 (864)	31 (787)	32.5 (826)	18 (457)	30 (762)	26 (660)	4.5	96	10								


30" BARIATRIC ARM CHAIR for use as add-on units (R2 Series bears 1000 lb. static load.)




SC-5X61-L Arm Chair Add-on
Left leg only
Left end of run



SC-5X61-R Arm Chair Add-on
Right leg only
Right end of run




SC-5X62-L Arm Chair Add-on
Left leg for continuous
Left add-on unit




SC-5X62-R Arm Chair Add-on
Right leg for continuous
Right add-on unit

SERIES	COM	2		3		4		5		6		7		8		DIMENSIONS						COMSHIP			CU
		W	D	H	SH	SW	AH	YD	WT	FT	YD	WT	FT	YD	WT	FT	YD	WT	FT	YD	WT	FT	YD	WT	FT
5061/62	426	513	545	576	606	637	667	698	33 (838)	27 (686)	32.5 (826)	18 (457)	30 (762)	26 (660)	3.75	75	10								
5161/62	445	537	570	602	634	666	697	730	32 (813)	31 (787)	32.5 (826)	18 (457)	30 (762)	26 (660)	3.75	75	10								


40.5" BARIATRIC ARM CHAIR (R2 Series bears 1000 lb. static load.)




SC-5X65 Bariatric Arm Chair
Stand alone unit



SC-5X65-L Bariatric Arm Chair
Left connector




SC-5X65-R Bariatric Arm Chair
Right connector




SC-5X65-L/R Bariatric Arm Chair
Left and Right connector

SERIES	COM	2		3		4		5		6		7		8		DIMENSIONS						COMSHIP			CU
		W	D	H	SH	SW	AH	YD	WT	FT	YD	WT	FT	YD	WT	FT	YD	WT	FT	YD	WT	FT	YD	WT	FT
5065	780	948	1017	1085	1153	1221	1289	1345	46.5 (1181)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	5.5	108	18								
5165	816	991	1064	1134	1206	1277	1348	1406	44.5 (1130)	31 (787)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	5.5	108	18								


40.5" BARIATRIC ARM CHAIR for use as add-on units (R2 Series bears 1000 lb. static load.)




SC-5X66-L Bariatric
Arm Chair Add-on
Left leg only
Left end of run



SC-5X66-R Bariatric
Arm Chair Add-on
Right leg only
Right end of run



SC-5X67-L Bariatric
Arm Chair Add-on
Left leg for continuous
Left add-on unit



SC-5X67-R Bariatric
Arm Chair Add-on
Right leg for continuous
Right add-on unit

SERIES	COM	2		3		4		5		6		7		8		DIMENSIONS						COMSHIP			CU
		W	D	H	SH	SW	AH	YD	WT	FT	YD	WT	FT	YD	WT	FT	YD	WT	FT	YD	WT	FT	YD	WT	FT
5066/67	703	871	940	1008	1076	1144	1212	1280	43.5 (1105)	27 (686)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	4.75	87	18								
5166/67	735	911	983	1054	1125	1196	1267	1339	42.5 (1080)	31 (787)	32.5 (826)	18 (457)	40.5 (1029)	26 (660)	4.75	87	18								

OPTIONS

R2 SERIES	
Bariatric CAL 133	49.00
Moisture barrier	25.00/seat
Plastisol arm cap	19.00 each
Specify black, taupe or graphite.	
Wood arm cap	28.00 each

STANDARD WOOD FINISHES

for optional wood arm cap	
Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	

R2 Series Tables

softcare

Ordering Procedures:


- ☒ Softcare model number ☒ Top laminate selection
☒ Options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly.

R2 (5000, 5100) SERIES INTERCONNECTING TABLES

Tops are 3" thick self-edged laminate in a stainless plastic laminate or standard Softcare laminates.

5055 table series has rectangular brushed stainless finished legs.

5155 table series has round brushed stainless finished legs.









		DIMENSIONS			SHIP	CU.
MODEL	PRICE	W	D	H	WT.	FT.
 5050 In-line intermediate table includes mounting brackets	204	20.25 (514)	24 (610)	16.5 (419)	16	1

R2 (5000, 5100) SERIES FREE-STANDING TABLES

Tops are 3" thick self-edged laminate in a stainless plastic laminate or standard Softcare laminates.

5055 table series has rectangular brushed stainless finished legs.


5155 table series has round brushed stainless finished legs.

		DIMENSIONS			SHIP	CU.
MODEL	PRICE	W	D	H	WT.	FT.
 5055-22-22-21	306	22 (559)	22 (559)	21 (533)	40	6.75
 5155-22-22-21	306					
 5055-32-22-16	329	32 (813)	22 (559)	16 (406)	60	7.5
 5155-32-22-16	329					
 5055-22D-21	343	Diameter: 22 (559)		21 (533)	40	6.75
 5155-22D-21	343					
 5056-32-22-16	373	32 (813)	22 (559)	16 (533)	60	7.5
 5156-32-22-16	373					


STANDARD LAMINATE FINISHES
Parchment Regal
Natural (Clear) Maple Castle Oak
Honey English Oak
Nutmeg Honduras
Classic Winchester
Crown

Ordering Procedures:

- ☒ Softcare model number ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly.



**R2 5000
Series Seat-**



**R2 5100
Series Seating**

R2 SERIES SEATING REPLACEMENT PARTS

	COM	2	3	4	5	6	7	8	COM YD
5X00-S Seat cover	43	74	89	105	120	135	150	166	1
5X60-S 30" Bariatric seat cover	52	88	107	126	144	162	180	199	1
5X05-S 40.5" Bariatric seat cover	87	147	178	210	239	270	301	332	1
5X00-B Back cover	43	74	89	105	120	135	150	166	1
5X60-B 30" Bariatric back cover	52	88	107	126	144	162	180	199	1
5X05-B 40.5" Bariatric back cover	87	147	178	210	239	270	301	332	1
Seat webbing	17 per set of 5								
5000-AP Arm panel each Upholstered arm panel without stainless steel base. Specify Left/Right/Center.	106	130	149	167	186	205	223	242	.75
5100-AP Arm panel each Upholstered arm panel without stainless steel base. Specify Left/Right/Center.	111	137	156	175	195	214	233	253	.75
5000-W Option Wood arm cap (straight) each	28								
5000-P Option Plastisol arm cap (straight) each (black, taupe or graphite)	19								
5100-W Option Wood arm cap (curved) each	38								
5100-P Option Plastisol arm cap (curved) each (black, taupe or graphite)	28								









Stainless steel bases are available on a special quote basis. Contact customer service for a quote.

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	

Ordering Procedures:

- ☒ Softcare model number ☒ Wood and finish ☒ Fabric number/name/grade/color — Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options

HALLMARK	MODEL	WOOD	COM	2	3	4	5	6	7	8	DIMENSIONS
	Hallmark Low Back Arm Chair SC-3004	Maple	316	357	383	410	437	465	491	518	Width 26 (660) Depth 27 (686) Height 32 (813) Seat Ht 19 (484) Arm Ht 26 (660) COM Yardage 2.5 Ship Weight 20 Cubic Feet 14
	SC-3024 Wide Model 44"		474	535	575	616	656	697	737	777	Width 44 (1120) COM Yardage 3.75 Ship Weight 30 Cubic Feet 21
	Hallmark High Back Arm Chair SC-3005	Maple	332	381	412	445	477	510	541	573	Width 26 (660) Depth 27 (686) Height 37 (940) Seat Ht 19 (484) Arm Ht 26 (660) COM Yardage 3 Ship Weight 30 Cubic Feet 18
	SC-3025 Wide Model 44"		498	571	619	668	715	765	813	860	Width 44 (1120) COM Yardage 4.5 Ship Weight 45 Cubic Feet 27
	Hallmark Low Back 2 seat unit SC-3004-2		537	607	652	697	743	790	835	880	Width 49 (1045) Depth 27 (686) Height 32 (813) Seat Ht 19 (484) Arm Ht 26 (660) COM Yardage 4.5 Ship Weight 35 Cubic Feet 28
	Hallmark High Back 2 seat unit SC-3005-2		564	647	701	756	811	867	921	974	Height 37 (940) COM Yardage 5.5 Ship Weight 45 Cubic Feet 36
	Hallmark Low Back 3 seat unit SC-3004-3		805	910	978	1046	1114	1186	1253	1320	Width 72 (1829) Depth 27 (686) Height 32 (813) Seat Ht 19 (484) Arm Ht 26 (660) COM Yardage 6.5 Ship Weight 50 Cubic Feet 42
	Hallmark High Back 3 seat unit SC-3005-3		846	971	1052	1135	1216	1300	1381	1462	Height 37 (940) COM Yardage 8 Ship Weight 75 Cubic Feet 54

OPTIONS









CAL 133	32.00/seat
Moisture barrier	19.00/seat
Perimeter guard	8.00/leg
Specify front or back.	

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	

Ordering Procedures:


- ☒ Softcare model number ☒ Wood and finish ☒ Fabric number/name/grade/color — Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options

	MODEL	COM	2	3	4	5	6	7	8	DIMENSIONS
	Guest Arm Chair									Width 32 (813)
	Chippendale leg									Depth 27.5 (698)
	SC-3010	430	582	659	735	810	886	962	1039	Height 34 (864)
	Queen Anne leg									Seat Ht 17.5 (445)
	SC-3110	452	603	679	772	832	908	983	1060	Arm Ht 24.25 (616)
	Upholstered skirt									COM Yardage 5
	SC-3210	495	670	757	844	932	1019	1106	1194	COM YD. skirt 5.7
										Ship Weight 48
	Arm Chair — wide model									Cubic Feet 16.7
	Chippendale leg									Width 55.5 (1306)
	SC-3020	622	820	919	1018	1116	1216	1314	1413	Depth 27.5 (698)
	Queen Anne leg									Height 34 (864)
	SC-3120	653	851	950	1048	1147	1246	1344	1443	Seat Ht 17.5 (445)
	Upholstered skirt									Arm Ht 24.25 (616)
	SC-3220	682	902	1013	1123	1234	1343	1454	1565	COM Yardage 6.5
										COM YD. skirt 7.2
	3 Seat Sofa									Ship Weight 56
	Chippendale leg									Cubic Feet 30
	SC-3030	683	988	1140	1292	1443	1596	1748	1899	Width 76 (1930)
	Queen Anne leg									Depth 27.5 (698)
	SC-3130	716	1021	1172	1324	1476	1629	1781	1933	Height 34 (864)
	Upholstered skirt									Seat Ht 17.5 (445)
	SC-3230	748	1084	1250	1418	1585	1753	1920	2087	Arm Ht 24.25 (616)
										COM Yardage 8
	High Back Arm Chair with wings									COM YD. skirt 11
	Chippendale leg									Ship Weight 98
	SC-3011	462	629	713	796	880	964	1048	1131	Cubic Feet 39.8
	Queen Anne leg									Width 31 (787)
	SC-3111	483	651	734	818	901	985	1068	1152	Depth 29 (737)
	Upholstered skirt									Height 42 (1067)
	SC-3211	507	697	792	888	982	1078	1173	1267	Seat Ht 17.5 (445)
										Arm Ht 24.25 (616)
	High Back Arm Chair with wings									COM Yardage 5.5
	Wide model									COM YD. skirt 6.2
	Chippendale leg									Ship Weight 50
	SC-3012	645	858	964	1071	1193	1284	1391	1497	Cubic Feet 18.7
	Queen Anne leg									Width 53 (1167)
	SC-3112	676	889	995	1102	1208	1315	1421	1528	Depth 29 (737)
	Upholstered skirt									Height 42 (1067)
	SC-3212	709	952	1074	1195	1317	1438	1560	1682	Seat Ht 17.5 (445)


LEG OPTION

Three leg style options are available:
 wood Chippendale, wood Queen Anne and Upholstered
 tailored skirt. Specify corresponding model number when
 ordering.


Chippendale **3000**



Queen Anne **3100**



Upholstered Skirt **3200**



NOTE

Soft Seat
 The sit on these chairs is firm.
 For a softer webbed seat,
 specify "soft seat".

17.00

OPTIONS

CAL 133	
Chair	113.00
Wing chair	117.00
2 seater	135.00
3 seater	184.00
Moisture barrier	19.00/seater
Perimeter guard	8.00/leg
Specify front or back.	






Lounge Seating

SIN 711-16

softcare

Ordering Procedures:

- ☒ Softcare model number ☒ Wood and finish ☒ Fabric number/name/grade/color — Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options

JAVA	MODEL	COM	2	3	4	5	6	7	8	DIMENSIONS
	Java Arm Chair									Width 28 (711) Depth 32 (813) Height 32.5 (826) Seat Ht 18 (457) Arm Ht 24.5 (623) COM Yardage 4 Ship Weight 65 Cubic Feet 17
	Upholstered arm cap SC-3310	681	745	785	828	869	912	953	994	
	Maple wood arm cap SC-3410	712	775	816	859	900	943	984	1024	
	Java Arm Chair — Wide model									Width 50 (1270) Depth 32 (813) Height 32.5 (826) Seat Ht 18 (457) Arm Ht 24.5 (623) COM Yardage 5.75 Ship Weight 95 Cubic Feet 30
	Upholstered arm cap SC-3320	919	1010	1068	1130	1189	1250	1309	1368	
	Maple wood arm cap SC-3420	950	1041	1100	1161	1220	1281	1340	1399	
	Java 3 Seat Sofa									Width 72 (1829) Depth 32 (813) Height 32.5 (826) Seat Ht 18 (457) Arm Ht 24.5 (623) COM Yardage 7.5 Ship Weight 125 Cubic Feet 43
	Upholstered arm cap SC-3330	1156	1275	1352	1432	1509	1590	1667	1743	
	Maple wood arm cap SC-3430	1188	1307	1384	1464	1541	1622	1698	1775	
	Java 2 seat									Width 52.5 (1334) Depth 32 (813) Height 32.5 (826) Seat Ht 18 (457) Arm Ht 24.5 (623) COM Yardage 7.25 Ship Weight 115 Cubic Feet 55
	Upholstered arm cap SC-3320-2	1319	1467	1538	1615	1686	1762	1834	1906	
	Maple wood arm cap SC-3420-2	1368	1515	1587	1663	1735	1810	1882	1954	
	Java 3 seat									Width 77 (1956) Depth 32 (813) Height 32.5 (826) Seat Ht 18 (457) Arm Ht 24.5 (623) COM Yardage 10.5 Ship Weight 165 Cubic Feet 77
	Upholstered arm cap SC-3330-3	1948	2162	2266	2375	2479	2589	2691	2797	
	Maple wood arm cap SC-3430-3	2013	2227	2331	2440	2544	2655	2758	2863	

OPTIONS

	Polished or brushed chrome legs	Plastisol arm caps with standard wood legs	Polished or brushed chrome legs and plastisol arm caps	CAL 133	Moisture barrier	Swivel tablet
SC-3310	44	67 (black, taupe or graphite)	111	113	19/seat	212
SC-3410	44	X	X	113	19/seat	212
SC-3320	44	67 (black, taupe or graphite)	111	145	19/seat	212
SC-3420	44	X	X	145	19/seat	212
SC-3330	44	67 (black, taupe or graphite)	111	184	19/seat	212
SC-3430	44	X	X	184	19/seat	212
SC-3320-2	67	101	167	170	19/seat	212
SC-3420-2	67	X	X	170	19/seat	212
SC-3330-3	88	134	222	217	19/seat	212
SC-3430-3	88	X	X	217	19/seat	212




STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear)	Maple
Honey	Castle Oak
Nutmeg	English Oak
Classic	Honduras
Crown	Winchester

Swivel tablet for arm (Midnight Frost powder coat finish tablet). Specify left or right when facing.
Standard tapered Maple legs can be ordered in any of Softcare's 11 standard finishes.

Ordering Procedures:

- ☒ Softcare model number ☒ Wood and finish ☒ Fabric number/name/grade/color — Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options

AQUA	MODEL	COM	2	3	4	5	6	7	8	DIMENSION
	Aqua Arm Chair									Width 31.5 (800) Depth 28.5 (724) Height 32.5 (826) Seat Ht 17.5 (445) Arm Ht 24.5 (623) COM Yardage 4 Ship Weight 65 Cubic Feet 17
	SC-3510	582	645	686	729	770	813	853	894	
	Aqua Arm Chair — Wide model									Width 54.5 (1385) Depth 28.5 (724) Height 32.5 (826) Seat Ht 17.5 (445) Arm Ht 24.5 (623) COM Yardage 5.75 Ship Weight 105 Cubic Feet 30
	SC-3520	745	835	894	956	1015	1076	1135	1194	
	Aqua 3 Seat Sofa									Width 76.5 (1943) Depth 28.5 (724) Height 32.5 (826) Seat Ht 17.5 (445) Arm Ht 24.5 (623) COM Yardage 7.5 Ship Weight 140 Cubic Feet 43
	SC-3530	908	1027	1103	1184	1260	1341	1418	1494	

OPTIONS

CAL 133		Contrasting welting	No upcharge
Chair	113.00	(increase yardage by 1/2 yard of 54" material for welt)	
2 seater	145.00		
3 seater	184.00		
Moisture barrier	19/seat		

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	









Lounge Seating

SIN 711-17

softcare

Ordering Procedures:

- ☒ Softcare model number ☒ Wood and finish ☒ Fabric number/name/grade/color — Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options

BREEZE	MODEL	WOOD	COM	2	3	4	5	6	7	8	DIMENSIONS
	Breeze Low Back Arm Chair SC-3006	Maple	316	357	383	410	437	465	491	518	Width 26 (660) Depth 27 (686) Height 32 (813) Seat Ht 19 (484) Arm Ht 26 (660) COM Yardage 2.5 Ship Weight 20 Cubic Feet 14
	SC-3026 Wide Model 44"		474	535	575	616	656	697	737	777	Width 44 (1120) COM Yardage 3.75 Ship Weight 30 Cubic Feet 21
	Breeze High Back Arm Chair SC-3007	Maple	332	381	412	445	477	510	541	573	Width 26 (660) Depth 27 (686) Height 37 (940) Seat Ht 19 (484) Arm Ht 26 (660) COM Yardage 3 Ship Weight 30 Cubic Feet 18
	SC-3027 Wide Model 44"		498	571	619	668	715	765	813	860	Width 44 (1120) COM Yardage 4.5 Ship Weight 45 Cubic Feet 27
	Breeze Low Back 2 seat unit SC-3006-2		537	607	652	697	743	790	835	880	Width 49 (1045) Depth 27 (686) Height 32 (813) Seat Ht 19 (484) Arm Ht 26 (660) COM Yardage 4.5 Ship Weight 35 Cubic Feet 28
	Breeze High Back 2 seat unit SC-3007-2		564	647	701	756	811	867	921	974	Height 37 (940) COM Yardage 5.5 Ship Weight 45 Cubic Feet 36
	Breeze Low Back 3 seat unit SC-3006-3		805	910	978	1046	1114	1186	1253	1320	Width 72 (1829) Depth 27 (686) Height 32 (813) Seat Ht 19 (484) Arm Ht 26 (660) COM Yardage 6.5 Ship Weight 50 Cubic Feet 42
	Breeze High Back 3 seat unit SC-3007-3		846	971	1052	1135	1216	1300	1381	1462	Height 37 (940) COM Yardage 8 Ship Weight 75 Cubic Feet 54

OPTIONS


CAL 133	32.00/seat
Moisture barrier	19.00/seat
Perimeter guard	8.00/leg
Specify front or back.	

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	

Ordering Procedures:

- ☒ Softcare model number ☒ Fabric number/name/grade/color — Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options

	MODEL	PRICE	DIMENSIONS
 <p>SC-1800-2S Two seat unit shown with 2 optional arms</p>	TORO Beam Mounted Seating Perforated steel seats Tubular steel supports PVC nylon end caps and glides SINGLE ROW TYPE		Width: as shown Depth 23.5 (597) Height 30 (762) Seat Ht 17.5 (445) Arm Ht 24 (610) Ship Wt: as shown Cubic Feet: see footnote this page.
	One seat unit: 25 (635) W Note: Must be used adjacent to table SC-1800-1S	373	Width 25 (635) Ship Wt 70
	Two seat unit: 48 (1218) W SC-1800-2S	495	Width 48 (1218) Ship Wt 90
	Three seat unit: 70.5 (1791) W SC-1800-3S	678	Width 70.5 (1791) Ship Wt 120
	Four seat unit: 93.5 (2375) W SC-1800-4S	860	Width 93.5 (2375) Ship Wt 150
	Five seat unit: 116.5 (2960) W SC-1800-5S	1047	Width 116.5 (2960) Ship Wt 180
	Table: 22 (559) W SC-1800-ET	278	Width 22 (559) Ship Wt 40
	Single arm: 2 (51) W SC-1800-ARM	44	Width 2 (51) Ship Wt 5
	BACK TO BACK ROW TYPE		Depth 50.5 (1283)
	Four seat unit: 48 (1218) W SC-1800-4D	962	Width 48 (1218) Ship Wt 150
	Six seat unit: 70.5 (1791) W SC-1800-6D	1329	Width 70.5 (1791) Ship Wt 210
	Eight seat unit: 93.5 (2375) W SC-1800-8D	1695	Width 93.5 (2375) Ship Wt 270
	Double Table: 22 (559) W SC-1800-DT	500	Width 22 (559) Ship Wt 50
	Single arm: 2 (51) W SC-1800-ARM	44	Width 2 (51) Ship Wt 5

	Upholstery per seat	COM	2	3	4	5	6	7	8	DIMENSIONS
ADD to steel price										
Per seat		128	148	161	174	187	200	213	225	

OPTIONS

Toro can be manufactured with or without arms.
 End tables and intermediate tables are available.
 The entire steel frame or individual components can
 be finished in various powder coat colors.
 Zinc plated undercoat finish
 for outdoor use Add 20% upcharge.
 Bolt to floor option per unit 53.00

ASSEMBLY

Toro is shipped for local assembly. Average as-
 sembly time is 1 hour for 2 people to assemble
 a 4 seat unit.

SHIPPING

Toro is shipped for local assembly. Every 50 seats
 will occupy an estimated 400 cubic feet of shipping
 space. A minimum order will occupy an estimated
 20 cubic feet. Please contact Softcare for specific
 shipping specifications.






Dining/Guest Seating

SIN 711-18

softcare

Ordering Procedures:

- ☒ Softcare model number ☒ Wood and finish ☒ Fabric number/name/grade/color — Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options

	MODEL	WOOD	COM	2	3	4	5	6	7	8	DIMENSIONS
	Boulevard Dining Armless Chair										Width 22.5 (571) Depth 24.5 (623) Height 34 (864) Seat Ht 19 (483) COM Yardage 1.25 Ship Weight 20 Cubic Feet 12
	SC-2508	Maple	260	280	292	306	319	332	345	358	
	Boulevard Dining Arm Chair										Width 23.75 (603) Depth 24.5 (623) Height 34 (864) Seat Ht 19 (483) Arm Ht 25 (635) COM Yardage 1.25 Ship Weight 22 Cubic Feet 12
	SC-2509	Maple	285	305	318	331	344	357	370	383	
	Kami Dining Armless Chair										Width 17 (432) Depth 21 (533) Height 36.5 (927) Seat Ht 19 (483) COM Yardage .6 Ship Weight 15 Cubic Feet 14 (2/box)
	SC-1220	Birch	173	188	195	202	209	216	223	231	
	Kami Dining Arm Chair										Width 24 (610) Depth 22 (559) Height 34 (864) Seat Ht 19 (483) Arm Ht 26.5 (673) COM Yardage .75 Ship Weight 25 Cubic Feet 14
	SC-1222	Birch	189	203	210	218	225	232	239	246	
	Option for SC-1222:										
	Upholstered back pad		26	41	50	60	69	79	89	98	
	Zipper removable										
	Add 1 yd. COM										
	Kami Bench										Width 46.5 (1181) Depth 22 (559) Height 34 (864) Seat Ht 19 (483) Arm Ht 26.5 (673) COM Yardage 1 Ship Weight 41 Cubic Feet 27
	SC-1223	Birch	255	269	279	289	298	308	318	327	
	Option for SC-1223:										
	Upholstered back pad		38	52	62	72	81	91	101	110	
	Zipper removable										
	Add 1.8 yd. COM										

OPTIONS









CAL 133	20.00/seat
Moisture barrier	19.00/seat
Perimeter guard	8.00/leg
Specify front or back.	

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	

Ordering Procedures:

- ☒ Softcare model number ☒ Fabric number/name/grade/color — Check pattern repeat. See Seating Spec. chart. ☒ Wood finish ☒ Leg style
☒ Special requirements and options


	MODEL	COM	2	3	4	5	6	7	8	DIMENSIONS
	Dining Arm Chair									Width 26.5 (673) Depth 24 (610) Height 41.5 (1054) Seat Ht 19 (483) COM Yardage .5 Ship Weight 25 Cubic Feet 13 Ship 1/carton
	5311-115	348	381	397	413	429	446	462	478	
	Dining Armless Chair									Width 21 (533) Depth 24 (610) Height 41.5 (1054) Seat Ht 19 (483) COM Yardage .5 Ship Weight 38 Cubic Feet 14 Ship 2/carton
	5310-115	274	306	322	338	355	371	387	403	
	Dining Arm Chair									Width 25 (635) Depth 19.75 (501) Height 37 (940) Seat Ht 19 (483) COM Yardage .5 Ship Weight 25 Cubic Feet 13 Ship 1/carton
	5331-115	301	333	349	365	382	398	414	430	
	Dining Armless Chair									Width 20 (508) Depth 19.75 (501) Height 37 (940) Seat Ht 19 (483) COM Yardage .5 Ship Weight 38 Cubic Feet 14 Ship 2/carton
	5330-115	241	274	290	306	322	338	355	371	
	Dining Arm Chair									Width 25 (635) Depth 19.75 (501) Height 39 (989) Seat Ht 19 (483) COM Yardage .5 Ship Weight 25 Cubic Feet 13 Ship 1/carton
	5341-115	296	329	345	362	378	394	410	427	
	Dining Armless Chair									Width 20.75 (526) Depth 19.75 (501) Height 39 (989) Seat Ht 19 (483) COM Yardage .5 Ship Weight 40 Cubic Feet 14 Ship 2/carton
	5340-115	235	268	284	301	317	333	349	365	
	Dining Arm Chair									Width 25 (635) Depth 19 (483) Height 37 (940) Seat Ht 19 (483) COM Yardage .5 Ship Weight 24 Cubic Feet 13 Ship 1/carton
	5371-115	293	326	343	358	375	391	407	424	
	Dining Armless Chair									Width 22 (559) Depth 19 (483) Height 37 (940) Seat Ht 19 (483) COM Yardage .5 Ship Weight 38 Cubic Feet 14 Ship 2/carton
	5370-115	237	269	285	301	318	334	350	366	

DINING CHAIRS

Dining chairs are made from solid birch and have "tongue and groove", "mortise and tenon" construction. Nylon glides on legs protect floors.

SEATING LEG STYLES

Dining chairs 5311, 5310, 5331, 5330, 5341, 5340, 5371, 5370, 5391, 5390, 5511, 5510, 5911, 5910 are available in 5 optional leg styles.



Add the 3 digits corresponding to the designated leg style to the model number.

Leg style 115 is illustrated above: eg. 5311-115

OPTIONS

CAL 133	17.00/seat
Moisture barrier	19.00/seat
Perimeter guard	8.00/leg
Specify front or back.	

WOOD FINISHES

Parchment	Nutmeg
Natural (Clear) Maple	Castle Oak
Honey	Winchester







Dining/Guest Seating

SIN 711-18


softcare

Ordering Procedures:

- ☒ Softcare model number ☒ Fabric number/name/grade/color — Check pattern repeat. See Seating Spec. chart. ☒ Wood finish ☒ Leg style
☒ Special requirements and options

	MODEL	COM	2	3	4	5	6	7	8	DIMENSIONS
	Dining Arm Chair 5391-115	540	584	605	627	648	670	692	713	Width 23.5 (597) Depth 25 (635) Height 40 (1016) Seat Ht 19 (483) COM Yardage 1.75 Ship Weight 28 Cubic Feet 13 Ship 1/carton
	Dining Armless Chair 5390-115	327	370	392	413	435	457	479	500	Width 21 (533) Depth 25 (635) Height 40 (1016) Seat Ht 19 (483) COM Yardage 1.1 Ship Weight 25 Cubic Feet 12 Ship 2/carton
	Dining Arm Chair 5511-115	389	421	438	454	471	487	503	519	Width 26 (660) Depth 22 (559) Height 36 (914) Seat Ht 19 (483) COM Yardage .5 Ship Weight 25 Cubic Feet 14 Ship 1/carton
	Dining Armless Chair 5510-115	302	335	351	368	384	400	416	433	Width 19 (483) Depth 22 (559) Height 36 (914) Seat Ht 19 (483) COM Yardage .5 Ship Weight 40 Cubic Feet 16 Ship 2/carton
	Dining Arm Chair 5911-115	389	421	438	454	471	487	503	519	Width 26 (660) Depth 22 (559) Height 36 (914) Seat Ht 19 (483) COM Yardage .5 Ship Weight 24 Cubic Feet 13 Ship 1/carton
	Dining Armless Chair 5910-115	302	335	351	368	384	400	416	433	Width 19 (483) Depth 22 (559) Height 36 (483) Seat Ht 19 (483) COM Yardage .5 Ship Weight 35 Cubic Feet 13 Ship 2/carton

OPTIONAL CASTERS (all 4 legs)
are available on leg styles 112, 121 and 124.
Specify CASTERS. 58.00/set
Casters must be ordered at time of production.



Add the 3 digits corresponding to the designated leg style to the model number.
Leg style 115 is illustrated above: eg. 5311-115

OPTIONS







CAL 133	17.00/seat
Moisture barrier	19.00/seat
Perimeter guard	8.00/leg
Specify front or back.	

WOOD FINISHES

Parchment	Nutmeg
Natural (Clear) Maple	Castle Oak
Honey	Winchester

Ordering Procedures:

- ☒ Softcare model number ☒ Fabric number/name/grade/color — Check pattern repeat. See Seating Spec. chart. ☒ Wood finish
☒ Special requirements and options

	MODEL	COM	2	3	4	5	6	7	8	DIMENSIONS
 <p>Shown with optional back pad.</p>	Mission Dining Arm Chair									Width 25 (635) Depth 22 (559) Height 39 (989) Seat Ht 18 (457) COM Yardage .7 Ship Weight 25 Cubic Feet 15 Ship 2/carton Back Pad COM .5 yd.
	SC-5197-A Birch	217	249	266	282	299	314	331	347	
	Upholstered Back Pad	21	29	34	39	44	50	55	60	
	Mission Dining Armless Chair									Width 18 (457) Depth 22 (559) Height 39 (989) Seat Ht 18 (457) COM Yardage .7 Ship Weight 25 Cubic Feet 15 Ship 2/carton Back Pad COM .5 yd.
	SC-5197 Birch	183	215	232	249	265	281	297	313	
	Upholstered Back Pad	21	29	34	39	44	50	55	60	
	Ribbon Back Dining Arm Chair									Width 25 (635) Depth 21 (533) Height 39 (989) Seat Ht 18 (457) COM Yardage .7 Ship Weight 25 Cubic Feet 15 Ship 2/carton Back Pad COM .5 yd.
	SC-5187-A Birch	211	243	259	275	292	308	324	340	
	Upholstered Back Pad	21	29	34	39	44	50	55	60	
	Ribbon Back Dining Armless Chair									Width 17 (432) Depth 21 (533) Height 39 (989) Seat Ht 18 (457) COM Yardage .7 Ship Weight 25 Cubic Feet 15 Ship 2/carton Back Pad COM .5 yd.
	SC-5187 Birch	177	209	225	242	258	275	291	307	
	Upholstered Back Pad	21	29	34	39	44	50	55	60	
	Queen Anne Dining Arm Chair									Width 25 (635) Depth 23 (594) Height 40 (1016) Seat Ht 18.5 (470) COM Yardage .7 Ship Weight 25 Cubic Feet 15 Ship 2/carton Back Pad COM .5 yd.
	SC-5721-A Birch	281	313	329	345	362	378	394	410	
	Upholstered Back Pad	21	29	34	39	44	50	55	60	
	Queen Anne Dining Armless Chair									Width 19 (483) Depth 23 (594) Height 40 (1016) Seat Ht 18.5 (470) COM Yardage .7 Ship Weight 25 Cubic Feet 15 Ship 2/carton Back Pad COM .5 yd.
	SC-5721 Birch	239	271	287	303	320	336	352	369	
	Upholstered Back Pad	21	29	34	39	44	50	55	60	

OPTIONS

CAL 133	17.00/seat
Moisture barrier	19.00/seat
Perimeter guard	8.00/leg
Specify front or back.	
Upholstered back pad, COM .5 yd. See above for pricing.	

STANDARD WOOD FINISHES









Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	

Dining/Guest/Stacking Seating

softcare

Ordering Procedures:

- ☒ Softcare model number ☒ Fabric number/name/grade/color — Check pattern repeat. See Seating Spec. chart. ☒ Wood finish
☒ Special requirements and options

	MODEL	WOOD	COM	2	3	4	5	6	7	8	DIMENSIONS
	SIN 711-18										Width 22 (559) Depth 23 (584) Height 33 (838) Seat Ht 18 (457) Arm Ht 26 (660) COM Yardage 1.3 Ship Weight 25 Cubic Feet 11
	Ambiance Guest/Dining Arm Chair 1" split back and seat K-1020-A-HC	Oak	243	266	281	315	345	362	397	443	
											Width 21 (533) Depth 23 (584) Height 33 (838) Seat Ht 18 (457) COM Yardage 1.3 Ship Weight 22 Cubic Feet 11
	Ambiance Guest/Dining Side Chair 1" split back and seat K-1020-S-HC	Oak	221	243	258	293	322	340	374	421	
	SIN 711-19										Width 24 (610) Depth 23 (584) Height 33 (838) Seat Ht 18 (457) Arm Ht 26 (660) COM Yardage 1.3 Ship Weight 25 Cubic Feet 11
	Ambiance Stacking Chair Stacks 4 high (8 with dolly) K-1026-A-HC	Oak	251	302	328	353	379	405	430	456	
											Width 23 (584) Depth 21 (533) Height 33 (838) Seat Ht 18 (457) Arm Ht 26 (660) COM Yardage 1 Ship Weight 13 Cubic Feet 11
	Stacking Wood Arm Chair Stacks 3 high No dolly available SC-1200	Maple	212	232	241	251	260	270	280	289	
											Width 20.25 (514) Depth 20 (508) Height 34.5 (876) Seat Ht 18 (457) COM Yardage 1 Ship Weight 14 Cubic Feet 5
	Whisper Stacking Armless Metal Chair Stacks 6 high (10 with dolly) SC-1060-S		95	110	119	129	138	148	158	167	
											Width 23.5 (597) Depth 20 (508) Height 34.5 (876) Seat Ht 18 (457) Arm Ht 26.5 (673) COM Yardage 1 Ship Weight 16 Cubic Feet 5
	SC-1060-SWB (Wood back)	Add 10% to upholstered chair							(Shipped 4/box)		
											Width 23.5 (597) Depth 20 (508) Height 34.5 (876) Seat Ht 18 (457) Arm Ht 26.5 (673) COM Yardage 1 Ship Weight 16 Cubic Feet 5
	Whisper Stacking Arm Metal Chair Stacks 6 high (10 with dolly) SC-1060-A	100	114	124	134	143	153	163	172		
											Width 31.5 (800) Depth 20 (508) Height 34.5 (876) Seat Ht 18 (457) Arm Ht 26.5 (673) COM Yardage 1.75 Ship Weight 25 Cubic Feet 10
	Whisper Bariatric Stacking Arm Metal Chair Stacks 4 high SC-1065		151	176	193	210	227	244	260	277	
	SC-1065-WB (Wood back)		Add 10% to upholstered chair							(Shipped 2/box)	

OPTIONS

CAL 133	17.00/seat	1060-S/A, 1065 frames are available in black or silver.
CAL 133 1020-A/S, 1026	32.00/chair	Arms in black or grey. Specify.
Moisture barrier	19.00/seat	Whisper dolly 1060-D 111.00
Perimeter guard (wood chairs only)		Whisper bariatric dolly 1065-D 123.00
Specify front or back.	8.00/leg	Ambiance dolly 1026-D 69.00

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	

Ordering Procedures:

- ☒ Softcare model number ☒ Fabric number/name/grade/color — Check pattern repeat. See Seating Spec. chart. ☒ Wood finish
☒ Special requirements and options






OLA / CIAO	MODEL	WOOD	COM	2	3	4	5	6	7	8	DIMENSIONS
  	Ola Stacking Chair										Width 17.5 (445) Depth 20 (508) Height 32.5 (826) Seat Ht 18 (457) Ship Weight 11 (Shipped 2/box) Cubic Feet 10
	Seat and Back Finish Selection:										Width 17 (432) Depth 18.5 (470) Height 32.5 (826) Seat Ht 18 (457) COM Yardage 0.6 Ship Weight 11 (Shipped 2/box) Cubic Feet 10
	Clear Maple or Espresso										
	SC-1051-ST	81									
	Ciao Stacking Chair										Width 17 (432) Depth 18.5 (470) Height 32.5 (826) Seat Ht 18 (457) COM Yardage 0.6 Ship Weight 11 (Shipped 2/box) Cubic Feet 10
	Seat and Back Finish Selection:										
	Clear Maple or Espresso										
	SC-1025-ST-1	102									
	Seat and Back Finish Selection:										
	Softcare Standard Finishes listed below										
	SC-1025-ST-2	117									
	Ciao Bar Stool										Width 17 (432) Depth 19.5 (496) Height 42 (1068) Seat Ht 29 (737) COM Yardage 0.6 Ship Weight 11 (Shipped 2/box) Cubic Feet 10
	Seat and Back Finish Selection:										
	Clear Maple or Espresso										
	SC-1025-BAR-1	156									
	Seat and Back Finish Selection:										
	Softcare Standard Finishes listed below										
	SC-1025-BAR-2	171									
	OPTIONAL: Upholstered seat pad for										
	SC-1025-ST-1, SC-1025-ST-2,										
	SC-1025-BAR-1, SC-1025-BAR-2										

TAVOLA TABLE BASE AND TOPS	MODEL	TOP MATERIAL	SIZE	PRICE	DIMENSIONS
 	Tavola Base				Width 30 (763) Depth 30 (763) Height 29 (737) Ship Weight 15 Cubic Feet 8
	Silver				
	SC-10-BASE			86	
	SC-1030-HPL-S 3/4" T Mold HPL laminate		30" Square 30 (763) x 30 (763)	99	Ship Weight 25
	SC-1030-HPL-R 3/4" T Mold HPL laminate		30" Round Dia. 30 (763)	99	
	SC-1036-HPL-S 3/4" T Mold HPL laminate		36" Square 36 (915) x 36 (915)	106	Ship Weight 35
	SC-1036-HPL-R 3/4" T Mold HPL laminate		36" Round Dia. 36 (915)	106	
	SC-1030-PCT-S 1" PCT		30" Square 30 (763) x 30 (763)	79	Ship Weight 30
	SC-1030-PCT-R 1" PCT		30" Round	76	
	SC-1036-PCT-S 1" PCT		36" Square	107	Ship Weight 40
	SC-1036-PCT-R 1" PCT		36" Round	101	
	2000-36-36	1 1/4" HPL with 2 1/2" wide urethane edge Edge colors: Black, Graphite, Taupe	36" Square	216	Ship Weight 50
	2000-36D	1 1/4" HPL with 2 1/2" wide urethane edge Edge colors: Black, Graphite, Taupe	36" Round	212	

SPECIFICATIONS

Ola
Frame construction: tubular steel.
Seat and back construction: perforated Maple veneer over molded plywood.
Frame finish: epoxy coated silver.
Seat and back finish: clear Maple or Espresso.
Stacking capacity: 12 units.
Optional upholstered seat pad requires 0.6 yards of fabric which will upholster 2 chairs.

Ciao
Frame construction: tubular steel.
Back construction: Maple veneer over molded plywood.
Seat construction: Maple veneer over solid wood.
Frame finish: epoxy coated silver.
Seat and back finish: Espresso or standard wood finish.
Stacking capacity: 6 units.
Optional upholstered seat pad requires 0.6 yards of fabric which will upholster 2 chairs.

STANDARD WOOD FINISHES

Parchment Regal
Natural (Clear) Maple Castle Oak
Honey English Oak
Nutmeg Honduras
Classic Winchester
Crown

TABLE TOPS 2000

Specify edge color: Black, Graphite, Taupe

Ordering Procedures:

☒ Softcare model number ☒ Top laminate selection ☒ Wood edge ☒ Options

2700 series laminate table tops

HPL TABLE TOPS

Laminate top tables with adjustable height bases are available in Round and Square sizes in 6" increments from 30" to 48" tops.

STOCK HIGH PRESSURE LAMINATES

Wilsonart	Sanibel Maple #7908-60
Formica	Natural Maple #756-58
Pionite	Honey Maple WM-951-S
Formica	Wild Cherry 3921
Formica	Summer Flame 86622
Formica	Select Cherry 7759-43
Formica	Passion 86624
Wilsonart	Solar Oak 7816-13
Wilsonart	English Oak 7885-T
Arborite	Mahogany W-372
Wilsonart	Montana Walnut #7110T-60

TOP EDGE OPTIONS



1/2 round
bullnose wood edge

"T" mold edge

Standard is black PVC. For large orders, custom colors are available.



1 1/8" thickness
3" radius corner on square tops

CUSTOMER SPECIFIED LAMINATES

For these small top sizes, customer specified laminate will be ordered provided there is a **minimum order of 4 table tops of the same laminate**. Any smaller quantities will require a **20% upcharge** to cover the expense of a full sheet of laminate.

TO ORDER CUSTOMER SPECIFIED LAMINATES

Specify:

1. Laminate manufacturer's name
2. Laminate name
3. Laminate number
4. Number of tops required

SHIPPING

Tops and bases are shipped separately.

BASES

Bases are fastened to the tops with wood screws and require assembly. Screws supplied with tops.

PRICES

Laminate prices are based on standard laminates from Arborite, Formica, Nevamar and Wilsonart.








SIN 711-11

EDGES

	MODEL	MAPE/OAK	T MOLD EDGE	SHIP WT.	CU. FT.
	Square Table Tops				
	2704-30-30	168	158	41	3
	2704-36-36	222	209	61	3
	2704-42-42	263	248	83	4
	2704-48-48	305	290	108	5
	Round Table Tops				
	2705-30 dia.	176	166	39	3
	2705-36 dia.	233	223	59	3
	2705-42 dia.	276	266	81	4
	2705-48 dia.	323	311	106	5
	Training Table Tops				
	2706-24-60	330	246	60	3
	2706-30-60	358	282	90	4

Ordering Procedures:

☒ Softcare model number ☒ Adjustment type ☒ Powder coat color ☒ Special requirements and options

	MODEL	PRICE	L	W	H	SHIP WT.	CU. FT.
	2" or 3" Post Leg						
	27-1101	19		2" (51) dia 3" (76) dia	Specify height requirements	10	1
	Tubular X Base Fixed height						
	27-1405-28	94	For wheelchair clearance, specify 30" (762) height 28 (711)	28 (711)	28 (711)	26	13
	27-1405-36	113	36 (914)	36 (914)	28 (711)	37	21
	Tubular X Base Spring loaded, adjustable height				Height range 26" (660) to 34" (864)		
	27-1405-28-ADJ4	169	28 (711)	28 (711)	Adjustable	26	13
	* 27-1405-36-ADJ4 *Not recommended for 42" x 42" tops as some movement may occur.	188	36 (914)	36 (914)	Adjustable	37	21
	4 Column X Base for tops over 48" (1218)						
	27-0990-36	181	For wheelchair clearance, specify 30" (762) height 36 (914)	36 (914)	28 (711)	47	21
	27-0990-42	194	42 (1067)	42 (1067)	28 (711)	57	30
	Half Round X Base Fixed height						
	27-3401-28	175	For wheelchair clearance, specify 30" (762) height 28 (711)	28 (711)	28 (711)	35	13
	27-3401-36	186	36 (914)	36 (914)	28 (711)	41	21
	Half Round X Base Spring loaded, adjustable height				Height range 26" (660) to 34" (864)		
	27-3401-28-ADJ4	250	28 (711)	28 (711)	Adjustable	35	13
	* 27-3401-36-ADJ4 *Not recommended for 42" x 42" tops as some movement may occur.	261	36 (914)	36 (914)	Adjustable	41	21
	Half Round 4 Column X Base for tops over 48" (1218)						
	27-1000-36	351	For wheelchair clearance, specify 30" (762) height 36 (914)	36 (914)	28 (711)	51	21
	27-1000-42	376	42 (1067)	42 (1067)	28 (711)	61	30

BASE SPECIFICATIONS

Metal bases are manufactured of 14 guage steel. Welds are ground and polished. A 3/16" solid steel plate is punched to permit fastening to tops. Bases have adjustable glides.

SHIPPING

Bases and tops are shipped separately and require assembly. Screws are included with bases.

FIXED HEIGHT BASES

can be ordered in various heights at the same cost.

OPTIONS

Flip Top Base add 83.00 to "X" base
Locking casters (set of 4) 45.00
Must be ordered at time of manufacture — cannot be field installed.

FINISH

Standard finish is powder-coated RAL colors (180 color choices).
Chrome is available. Specify and add 15% to list price.




2700 Series Table Bases

SIN 711-11

softcare

Ordering Procedures:

☒ Softcare model number ☒ Adjustment type ☒ Powder coat color ☒ Special requirements and options

	MODEL	PRICE	L	W	H	SHIP WT.	CU. FT.
	Trumpet Base with 3" column 12 x 12 x 1/4 mounting plate Base is weighted						
	27-4000-24	131		24 (610) dia.	28 (711)	20	13
	27-4000-30	163		30 (762) dia.	28 (711)	30	15
For wheelchair clearance, specify 30" (762) height							
	Round Cast Iron Base Black finish						
	27-3500-22	111		22 (559) dia.	28 (711)	40	13
	27-3500-30	175		30 (762) dia.	28 (711)	50	15
For wheelchair clearance, specify 30" (762) height							
	T-Base for training tables (2 bases per table)						
	27-861T-24	50		24 (610) dia.	28 (711)	15	5
	27-861T-28	54		28 (711) dia.	28 (711)	20	6
	27-861T-30	58		36 (914) dia.	28 (711)	25	6
For wheelchair clearance, specify 30" (762) height							

Shown with optional flip top
and locking casters.

Top NOT included.

BASE SPECIFICATIONS

Metal bases are manufactured of 14 guage steel.
Welds are ground and polished. A 3/16" solid steel
plate is punched to permit fastening to tops.
Bases have adjustable glides.

SHIPPING

Bases and tops are shipped separately and require
assembly. Screws are included with bases.

FIXED HEIGHT BASES

can be ordered in various heights at the same cost.

OPTIONS

Flip Top Base add 69.00 to base

Locking casters (set of 4) 38.00
Must be ordered at time of
manufacture — cannot be
field installed.

FINISH







Standard finish is powder-coated RAL colors (180
color choices).

Chrome is available. Specify and add 15% to list
price.

Ordering Procedures:

☒ Softcare model number ☒ Top laminate selection ☒ Wood and finish selection

SIN 711-11

	MODEL	MAPLE /OAK	L	W	H	SHIP WT.	CU. FT.
 *model illustrated by line drawing	2707 Tapered Leg Series End Tables						
	2707-18-18	221	18 (457)	18 (457)	21 (533)	23	2
	2707-24-18	221	24 (610)	18 (457)	21 (533)	23	2
	2707-24D	247	24 (610) diameter		21 (533)	30	2
	2707-26-26*	247	26 (660)	26 (660)	21 (533)	30	3
	Coffee Tables						
	2707-32-22	255	32 (813)	22 (559)	18 (457)	35	3
	2707-32D	303	32 (813) diameter		18 (457)	40	4
	2707-48-18	271	48 (1218)	18 (457)	18 (457)	39	4
	2707-36D	320	36 (914) diameter		18 (457)	40	5
	Sofa Table						
	2707-42-16	271	42 (1067)	16 (405)	28 (711)	45	3
 	2708 Chippendale Series End Tables						
	2708-18-18	221	18 (457)	18 (457)	21 (533)	23	2
	2708-24-18	221	24 (610)	18 (457)	21 (533)	23	2
	2708-24D*	247	24 (610) diameter		21 (533)	30	2
	2708-26-26	247	26 (660)	26 (660)	21 (533)	30	3
	Coffee Tables						
	2708-32-22*	255	32 (813)	22 (559)	18 (457)	35	3
	2708-32D	303	32 (813) diameter		18 (457)	40	4
	2708-48-18	271	48 (1218)	18 (457)	18 (457)	39	4
	2708-36D	320	36 (914) diameter		18 (457)	40	5
	Sofa Table						
	2708-42-16	271	42 (1067)	16 (405)	28 (711)	45	3
  	2709 Queen Anne Series End Tables						
	2709-24-20	277	24 (610)	20 (508)	21 (533)	20	2
	2709-24D*	312	24 (610) diameter		21 (533)	30	2
	2709-26-26*	320	26 (660)	26 (660)	21 (533)	30	3
	Coffee Tables						
	2709-32-22*	320	32 (813)	22 (559)	18 (457)	35	3
	2709-36D	353	36 (914) diameter		18 (457)	40	5
	Sofa Table						
	2709-42-16	320	42 (1067)	16 (405)	28 (711)	45	3

OCCASIONAL TABLES


Tables are shipped K.D. and require field assembly of legs.

Tables are packed 2 or more per carton.

Frames are available in solid Oak or Maple, stained to match top laminate selection.


Tops are 7/8" thick with solid wood edges.

Laminate top and edge detail.



Occasional tables are available with a selection of 3 leg designs:

2707 Tapered
2708 Chippendale
2709 Queen Anne



CUSTOMER SPECIFIED LAMINATES
For these small top sizes, customer specified

laminate will be ordered provided there is a **minimum order of 8 tops of the same laminate**. Full sheet pricing will apply. Confirm with a quotation from customer service.

STANDARD WOOD FINISHES

Parchment
Natural (Clear) Maple
Honey
Nutmeg
Classic
Crown
Regal
Castle Oak
English Oak
Honduras
Winchester




2700 Series Occasional Tables

softcare


Ordering Procedures:

☒ Softcare model number ☒ Top laminate selection ☒ Wood edge and wood leg finish if applicable ☒ PVC edging and powder coat color if applicable

SIN 711-11

MODEL	MAPLE /OAK	L	W	H	SHIP WT.	CU. FT.
 2701-24-18	221	24 (610)	18 (457)	21 (533)	23	6
 2701-26-26	247	26 (660)	26 (660)	21 (533)	30	9
 2701-24D*	278		24 diameter (610)	21 (533)	35	6
2701-32D*	338		32 diameter (610)	16 (406)	40	12
2701-36D*	399		36 diameter (914)	16 (406)	45	12
2701-48-18	297	48 (1219)	18 (457)	16 (406)	39	9


MODEL	WOOD	COM	2	3	4	5	6	7	8	DIMENSIONS
SIN 711-16										Width 19 (483) Depth 13 (331) Height 12 (306) Seat Ht 12 (306) COM Yardage .7 Ship Weight 10 Cubic Feet 2
Footstool Tapered leg										18 -18 Width 18 (457) Depth 18 (457) Height 22 (559) COM Yardage .6 Ship Weight 20 Cubic Feet 6
2707-FS	Maple/Oak	154	189	203	218	232	247	262	276	COM yardage yields 2 stools.
Bench Tapered leg										42-18 Width 42 (1067) Depth 18 (457) Height 22 (559) COM Yardage .6 Ship Weight 20 Cubic Feet 6
2707-18-18-B	Maple/Oak	196	207	214	220	226	233	240	247	
2707-42-18-B	Maple/Oak	206	228	241	256	271	286	301	315	
2707-48-18-B	Maple/Oak	212	238	254	271	288	305	322	338	
Bench Chippendale leg										48-18 Width 48 (1218) Depth 18 (457) Height 22 (559) COM Yardage .6 Ship Weight 20 Cubic Feet 6
2708-18-18-B	Maple/Oak	196	207	214	220	226	233	240	247	
2708-42-18-B	Maple/Oak	206	228	241	256	271	286	301	315	
2708-48-18-B	Maple/Oak	212	238	254	271	288	305	322	338	



Illustrated:
Bench 2707-42-18
Tapered leg

2701 OCCASIONAL TABLES

These tables feature an oval wood leg. They are an ideal complement to the Ritz Uptown multiple seating series which features oval steel legs. Standard with laminate tops 7/8" thick and wood bull-nosed edges. Shipped KD; legs require installation. Frames are available in solid Oak or Maple, stained to match top laminate selection.



Top edge is 1/2 round bullnose with laminate over the solid wood.

OPTIONS

CAL 133 30.00/seat
Moisture barrier 18.00/seat
Perimeter guard 8.00/leg
Specify front or back.

STANDARD WOOD FINISHES

Parchment Regal
Natural (Clear) Maple Castle Oak
Honey English Oak
Nutmeg Honduras
Classic Winchester
Crown

GSA ADDENDUM (May 1, 2008)



GSA : Special Use Furniture

Authorized Federal Supply Schedule Price List Catalog

FSC Group 71: Part III - Special Use Furniture

Contract Number: GS-27F-0008S

Contract Period: 01.17.2006 to 01.16.2011

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at fss.gsa.gov.

GSA : Office Furniture

Authorized Federal Supply Schedule Price List Catalog

FSC Group 71: Part I - Office Furniture

Contract Number: GS-28F-00014S

Contract Period: 02.17.2006 to 02.16.2011

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at fss.gsa.gov.



GENERAL SERVICES ADMINISTRATION

Federal Supply Service

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The INTERNET address is GSAAdvantage.gov.

softcare
innovative healthcare solutions

Contractor / Contract Administrator

SOFTCARE

675 Davenport Road, Waterloo

Ontario, Canada N2V 2E2

Tel: 1-800-342-8562

Fax: 1-519-745-8580

Business Size: Other

table
of
contents

General Information	2-3
Headwalls	4-9
Easy Access Chair	10
Mitra	11-13
Whisper Additions	14
Whisper Tables	15
X-tenz Sleeper	16
SC 2081 Recliner	17
Kami Additions	18



general

TERMS AND CONDITIONS 1% - 20 days, net 30 days. Invoices are payable in U.S. funds. All applicable sales and use taxes are extra.

Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Softcare dealers. Deposits are required on orders received from new accounts as well as on large or special orders. Softcare reserves the right to discontinue designs, or to change designs, construction or materials without notice.

CREDIT CARD OPTIONS Softcare will accept credit card payment on all orders to a maximum of \$5000 LIST. **Credit card payments must be made within 20 days of the invoice date or a 3% surcharge will apply.**

SHIPPING All orders are FOB dock, Continental US only.

STORAGE CHARGES Softcare reserves the right to assess a storage charge if a customer does not accept shipment of an order within a week of the ship date. Ship dates cannot be changed within four weeks of the acknowledged ship dates.

DIMENSIONS Dimensions are in inches and (millimetres). Dimensions are approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

DAMAGED SHIPMENTS All Softcare product is carefully inspected and protected with well-engineered packaging, and expertly loaded onto our trucks at our distribution center. All shipments leave the factory in good condition. Do not refuse merchandise damaged in transit as Softcare is not responsible for damage to goods which occurs in transit or storage. It is the purchaser's responsibility to examine the goods upon receipt and to file any claims with the carrier. Any damage or shortage should be noted on the bill of lading. The delivering carrier will not accept responsibility for shortages or damages if signed for "clear".

Notification of concealed damage claims must be made to the delivering carrier within 5 days after delivery. All cartons must be available for inspection. Carrier liability ceases after 5 days. Softcare will not honour any claim for concealed damages beyond this 5 day period.

Softcare will not be responsible for discrepancies on orders delivered after 5 days of shipping.

Softcare is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

CANCELLATIONS Can be made only by express agreement with Softcare. A cancellation fee may be incurred for restocking.

CUSTOMER SERVICE HOURS Please note customer service hours are: 8:30 a.m. to 5:00 p.m. E.S.T.

675 Davenport Road
Waterloo, ON, Canada N2V 2E2
Toll free: 800-342-8562
Phone: 519-745-2101
Fax: 519-745-8580
www.softcarein.com

PRODUCT RETURNS Softcare products are manufactured on a made-to-order basis, therefore, no merchandise may be returned without Softcare's prior written consent as indicated by the issuance of a Field Product (FPR) number. Return transportation charges must be prepaid and a restocking charge will apply. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation.



information



LIMITED LIFETIME WARRANTY

Softcare warrants the products it manufactures to be free from manufacturing defects in material and workmanship under normal use and service for the life of the product from the date of shipment. This warranty applies provided the product is in use by the original owner and has been used only for the original intent. This warranty is void in cases of damage in transit, negligence, abuse, abnormal usage, misuse, accidents, improper maintenance or product modification. There is no other express warranty. Softcare hereby disclaims all implied warranties including the implied warranty of merchantability and fitness for any particular purpose indicated by the Buyer to Softcare. There are no representations as to the capacity or performance of the products sold hereunder except as set forth in the quotation specifications, if any, and such representations are expressly conditioned upon the correctness of the data furnished by the Buyer and upon the products being properly installed and maintained. At its option, Softcare will repair or replace defective parts that meet the terms and conditions of this warranty at no charge to the original owner and will pay freight charges provided the company has previously authorized the replacement or return. Normal aging and wear of fabrics, filling materials and finishes are exempted from this warranty. Softcare's judgement will be final in all matters concerning the condition of the furniture, the cause or nature of the defect and the necessity or manner of repair. In no event shall Softcare be liable for consequential damages. On product furnished by Softcare, but manufactured by others, the written warranty, if any, of the manufacturer will be assigned to the Buyer.

Softcare, in its manufacture and sale

of these products, will assume no liability as to possible infringement or patents or copyrights by virtue of the use of said products in combination with other elements or structures, or when manufactured to Buyer's specifications.

HANDLING OF WARRANTY CLAIMS

The Softcare written authorization, in the form of an FPR (Field Product Report) number, must be obtained prior to incurring charges of any kind, with the expectation that Softcare will pay for these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Softcare reserves the right to have its representative inspect product related to any request for such authorizations, prior to the FPR authorization being provided. Product being returned where Softcare has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of misuse, missing parts, etc., will result in an adjustment to the amount of credit issued. Deductions from invoices paid for any charges to Softcare, without prior written authorization in the form of an FPR, will not be accepted.

ORDER ACKNOWLEDGEMENTS

Each order will be acknowledged via fax or e-mail. This acknowledgement is the final agreement between Softcare and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase



order between a product code and a description, Softcare will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgements for accuracy, and advise Softcare in writing of any discrepancies with a corrected purchase order.

QUICK SHIP PROGRAM

Some items are available on quick ship. Please visit our website www.softcarein.com for program details.

CONTRACTS

Softcare products are available under various buying agreements. See Softcare website: www.softcarein.com for specific contracts information.

CUSTOM CAPABILITIES

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. For both seating and casegoods, these include:

- i) Customized — sizes, shapes, veneers, special features
- ii) Dimensional customization of standard size products
- iii) Custom finishes
- iv) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Headwalls

The headwall is a cabinet designed to provide storage and hide some of the medical equipment such as electrical switches, medical gases and call station devices. The headwall provides an attractive furniture solution that softens the medical environment-ideal for LDR and LDRP areas.

Softcare headwalls have been designed as modular units in matching designs to Softcare's standard cabinets. Each headwall becomes a unique design based on the units and options chosen.

Using a pre-engineered set of cabinet configurations, top options, center



panels, bridge units and valence components, a facility can achieve the design and functionality they require of a headwall.


Please see individual series pages for series specifications.

ORDERING PROCEDURE

Available in:	SELECT:	Example
20/21 series	Series Style.....	25 Series
30/31 series	Modular Unit Model #.....	25-HWBT36
22 series	Top Style (see below).....	25-HWBT36 CM
23 series	Finish/Color Selection(per Series).	Clear Maple
26 series	Pull Selection.....	Rose soft pull
60 series		


AVAILABLE TOP SELECTIONS

ST (Series Tops)




Add 1"to cabinet height

VT (Valence Tops)



Add 3"to cabinet height

CM(Crown MoldTop)








Add 3"to cabinet height

Headwalls

Ordering Checklist:

- ☒ Series Selection
 ☒ Model # Selection
 ☒ Top Selection
 ☒ Finish Selection
 ☒ Pull Selection
☒ Special requirements and options
☒ Freight

Full Height Cabinets	MODEL	SIN 71-315				DIMENSIONS
	12" Wardrobe	20/21 Series	588	26 Series	917	Width 12 (310) Depth 23.25 (590) Height 80 (2032) WT 147 Cubic Feet 38
	1 Door / 1Drawer	30/31 Series	790	60 Series Tier 1	539	
		22 Series	917	60 Series Tier 2	554	
	HWWR12-L	23 Series	792	60 Series Tier 3	581	
	HWWR12-R	25 Series	674			
	18" Wardrobe	20/21 Series	612	26 Series	946	Width 18 (460) Depth 23.25 (590) Height 80 (2032) WT 178 Cubic Feet 50
	1 Door / 1Drawer	30/31 Series	815	60 Series Tier 1	598	
		22 Series	946	60 Series Tier 2	624	
	HWWR18-L	23 Series	831	60 Series Tier 3	663	
	HWWR18-R	25 Series	699			
	24" Wardrobe	20/21 Series	635	26 Series	976	Width 24 (610) Depth 23.25 (590) Height 80 (2032) WT 209 Cubic Feet 62
	2 Door / 1Drawer	30/31 Series	842	60 Series Tier 1	657	
		22 Series	976	60 Series Tier 2	694	
	HWWR24	23 Series	843	60 Series Tier 3	747	
		25 Series	725			
	30" Wardrobe	20/21 Series	685	26 Series	1059	Width 30 (762) Depth 23.25 (590) Height 80 (2032) WT 240 Cubic Feet 65
	2 Door / 1Drawer	30/31 Series	914	60 Series Tier 1	751	
		22 Series	1059	60 Series Tier 2	794	
	HWWR30	23 Series	917	60 Series Tier 3	861	
		25 Series	787			
	36" Wardrobe	20/21 Series	722	26 Series	1122	Width 36 (914) Depth 23.25 (590) Height 80 (2032) WT 271 Cubic Feet 84
	2 Door / 1Drawer	30/31 Series	946	60 Series Tier 1	831	
		22 Series	1122	60 Series Tier 2	883	
	HWWR36	23 Series	968	60 Series Tier 3	963	
		25 Series	832			

OPTIONS

Lock	14.00
Grommet	12.00
Cutouts	21.00

Pull Selections:

NOTE: See page 6/7 for available pull selections







FINISH SELECTIONS:

NOTE: See individual series pages

For ordering procedures see page 76*

Ordering Checklist:

☒ Series Selection ☒ Model # Selection ☒ Top Selection ☒ Finish Selection ☒ Pull Selection
☒ Special requirements and options ☒ Freight

Full Height Cabinets	MODEL	SIN 71-315				DIMENSIONS
	12" BT Column with Overhead Storage HWBT12-L HWBT12-R	20/21 Series 30/31 Series 22 Series 23 Series 25 Series	786 960 1087 972 836	26 Series 60 Series Tier 1 60 Series Tier 2 60 Series Tier 3	1087 631 642 659	Width 12 (310) Depth 23.25 (590) Height 80 (2032) WT 147 Cubic Feet 38
	18" BT Column with Overhead Storage HWBT18-L HWBT18-R	20/21 Series 30/31 Series 22 Series 23 Series 25 Series	812 990 1120 994 864	26 Series 60 Series Tier 1 60 Series Tier 2 60 Series Tier 3	1120 680 697 722	Width 18 (460) Depth 23.25 (590) Height 80 (2032) WT 178 Cubic Feet 50
	24" BT Column with Overhead Storage HWBT24	20/21 Series 30/31 Series 22 Series 23 Series 25 Series	837 1019 1150 1015 891	26 Series 60 Series Tier 1 60 Series Tier 2 60 Series Tier 3	1150 729 751 784	Width 24 (610) Depth 23.25 (590) Height 80 (2032) WT 209 Cubic Feet 62
	30" BT Column with Overhead Storage HWBT30	20/21 Series 30/31 Series 22 Series 23 Series 25 Series	892 1098 1233 1090 949	26 Series 60 Series Tier 1 60 Series Tier 2 60 Series Tier 3	1233 796 846 865	Width 30 (762) Depth 23.25 (590) Height 80 (2032) WT 240 Cubic Feet 65
	36" BT Column with Overhead Storage HWBT36	20/21 Series 30/31 Series 22 Series 23 Series 25 Series	936 1166 1301 1152 995	26 Series 60 Series Tier 1 60 Series Tier 2 60 Series Tier 3	1302 853 887 936	Width 36 (914) Depth 23.25 (590) Height 80 (2032) WT 271 Cubic Feet 84
	36" Column with Desk and Overhead Storage HWDK36	20/21 Series 30/31 Series 22 Series 23 Series 25 Series	659 892 1054 920 782	26 Series 60 Series Tier 1 60 Series Tier 2 60 Series Tier 3	1054 603 620 645	Width 36 (914) Depth 23.25 (590) Height 80 (2032) WT 271 Cubic Feet 84

OPTIONS

Lock	14.00
Grommet	12.00
Cutouts	21.00

Pull Selections:

NOTE: See page 6/7 for available pull selections

FINISH SELECTIONS:

NOTE: See individual series pages

For ordering procedures see page 76*






Headwalls

Ordering Checklist:

- ☒ Series Selection
 ☒ Model # Selection
 ☒ Top Selection
 ☒ Finish Selection
 ☒ Pull Selection
☒ Special requirements and options
☒ Freight

Upper Wall Mounted Units MODEL

DIMENSIONS

SIN 71-315						
	12" Upper Wall Mounted Unit/1 Door	20/21 Series	198	26 Series	351	Width 12 (310) Depth 14.75 (375) Height 23.75 (603) WT 33 Cubic Feet 9
		30/31 Series	276	60 Series Tier 1	243	
		22 Series	351	60 Series Tier 2	248	
		23 Series	304	60 Series Tier 3	257	
		25 Series	248			
HWWC12-L						
HWWC12-R						
	18" Upper Wall Mounted Unit/1 Door	20/21 Series	218	26 Series	375	Width 18 (460) Depth 14.75 (375) Height 23.75 (603) WT 44 Cubic Feet 11
		30/31 Series	299	60 Series Tier 1	275	
		22 Series	375	60 Series Tier 2	284	
		23 Series	327	60 Series Tier 3	296	
		25 Series	270			
HWWC18-L						
HWWC18-R						
	24" Upper Wall Mounted Unit/2 Door	20/21 Series	254	26 Series	406	Width 24 (610) Depth 14.75 (375) Height 23.75 (603) WT 55 Cubic Feet 14
		30/31 Series	325	60 Series Tier 1	294	
		22 Series	406	60 Series Tier 2	306	
		23 Series	355	60 Series Tier 3	323	
		25 Series	332			
HWWC24						
	30" Upper Wall Mounted Unit/2 Door	20/21 Series	285	26 Series	444	Width 30 (762) Depth 14.75 (375) Height 23.75 (603) WT 55 Cubic Feet 14
		30/31 Series	359	60 Series Tier 1	333	
		22 Series	444	60 Series Tier 2	347	
		23 Series	389	60 Series Tier 3	369	
		25 Series	365			
HWWC30						
	36" Upper Wall Mounted Unit/2 Door	20/21 Series	314	26 Series	487	Width 36 (914) Depth 14.75 (375) Height 23.75 (603) WT 66 Cubic Feet 20
		30/31 Series	394	60 Series Tier 1	370	
		22 Series	487	60 Series Tier 2	387	
		23 Series	427	60 Series Tier 3	412	
		25 Series	396			
HWWC36						

OPTIONS

Lock	14.00
Grommet	12.00
Cutouts	21.00

Pull Selections:

NOTE: See page 6/7 for available pull selections





FINISH SELECTIONS:

NOTE: See individual series pages

For ordering procedures see page 76*

Ordering Checklist:

- ☒ Series Selection
 ☒ Model # Selection
 ☒ Top Selection
 ☒ Finish Selection
 ☒ Pull Selection
☒ Special requirements and options
☒ Freight

Optional Units	MODEL		DIMENSIONS
Center Panels	To be used with full height cabinets only	SIN 71-315	
	Veneer		Width 42 or 60 Depth 3 Height 47.75 WT 44 or 63 Cubic Feet 5 or 8
	HWCPBC42-V	159	
	HWCPBC60-V	248	
	Laminate		Width 42 or 60 Depth 3 Height 47.75 WT 44 or 63 Cubic Feet 5 or 8
	HWCPBC42-PL	120	
	HWCPBC60-PL	190	
	To be used with Upper Wall Mounted cabinets only		
	Veneer		Width 42 or 60 Depth 3 Height 23.75 WT 22 or 32 Cubic Feet 3 or 4
	HWCPWC42-V	138	
	HWCPWC60-V	172	
	Laminate		Width 42 or 60 Depth 3 Height 23.75 WT 22 or 32 Cubic Feet 3 or 4
	HWCPWC42-PL	99	
	HWCPWC60-PL	131	
Bridge Units	Veneer		Width 42 or 60 Depth 6.75 Height 6.25 WT 15 or 20 Cubic Feet 1 or 2
	HWBU42-V	119	
	HWBU60-V	162	
 Shown with crown mold	Veneer with Crown Molding		Width 42 or 60 Depth 11.25 Height 6.25 WT 18 or 24 Cubic Feet 2 or 3
	HWBU42-V-CM	198	
	HWBU60-V-CM	271	
	Laminate		Width 42 or 60 Depth 6.75 Height 6.25 WT 15 or 20 Cubic Feet 1 or 2
	HWBU42-PL	105	
	HWBU60-PL	144	
	Laminate with Crown Molding		Width 42 or 60 Depth 11.25 Height 6.25 WT 18 or 24 Cubic Feet 2 or 3
	HWBU42-PL-CM	184	
	HWBU60-PL-CM	252	
Facia Header	Veneer		Width 66 or 84 Depth 1 Height 9 WT 11 or 13 Cubic Feet 1 or 2
	HWVAL-66-V*	268	
	HWVAL-84-V*	341	
	Laminate		Width 66 or 84 Depth 1 Height 9 WT 11 or 13 Cubic Feet 1 or 2
	HWVAL-66-PL*	196	
	HWVAL-84-PL*	269	
	*VT- Valence Top must be specified on modular units to accommodate this valence		

OPTIONS

Grommet
Cutouts

- V** should be used with 30/31, 22 and 26 series
-PL should be used with 20/21, 23, 25 and 60 series

FINISH SELECTIONS:
 NOTE: See individual series pages

For ordering procedures see page 76*


Headwalls

Ordering Checklist:


- ☒ Series Selection
 ☒ Model # Selection
 ☒ Top Selection
 ☒ Finish Selection
 ☒ Pull Selection
☒ Special requirements and options
☒ Freight

SAMPLE HEADWALL CONFIGURATIONS


- ① **_HWWR30-VT** 30 inch Wardrobe with Valence top
 ② **_HWBT24-VT** 24 inch BT column with Valence top
 ③ **_HWCPBC60-V** 60 inch Veneer center panel
 ④ **_HWDK36-VT** 36 inch Column with desk with Valence top
 ⑤ **_HWVAL-84-V** 84 inch Veneer Facia Header




- ① **_HWBT30-CM** 30 inch BT column with crown mold top
 ② **_HWCPBC42-V** 42 inch Veneer center panel
 ③ **_HWBU42-V-CM** 42 inch Veneer bridge unit with crown mold top
 ④ **_HWWR30-CM** 30 inch Wardrobe with crown mold top



- ① **_HWWR18-L-VT** 18 inch Wardrobe with Valence top
 ② **_HWBT18-R-VT** 18 inch BT column with Valence top
 ③ **_HWCPBC42-PL** 42 inch Laminate center panel
 ④ **_HWBU42-PL** 42 inch Laminate bridge unit
 ⑤ **_HWBT18-L-VT** 18 inch BT column with Valence top
 ⑥ **_HWWR18-R-VT** 18 inch Wardrobe with Valence top



- ① **_HWWC36-CM** 36 inch wall cabinet with crown mold top
 ② **_HWCPWC42-V** 42 inch Veneer center panel
 ③ **_HWBU42-V-CM** 42 inch Veneer bridge unit with crown mold top
 ④ **_HWWC36-CM** 36 inch wall cabinet with crown mold top



Ordering Checklist:

- ☒ Softcare model number ☒ Finish selection on Maple ☒ Fabric number/name/grade/color—Check pattern repeat. See Seating Spec. chart ☒ Special requirements and options
☒ A layout drawing is recommended. Note: All plans are viewed from the front facing the seating for specification of Right/Left assembly. ☒ Freight



Ritz Uptown
2200 Series



Ritz On the Park
2300 Series



Ritz Classic
2400 Series



Ritz Boulevard
2500 Series



Ritz Courtyard
2600 Series



Ritz Mission
2700 Series

RITZ BARIATRIC HIGH BACK PATIENT CHAIR WITH TAPERED BACK STYLE



SC-2295 Ritz Uptown
Patient room high back chair
with Maple arm caps



SC-2395 Ritz On the Park
Patient room high back chair
with Maple arm caps



SC-2495 Ritz Classic
Patient room high back chair
Maple



SC-2595 Ritz Boulevard
Patient room high back chair
Maple



SC-2695 Ritz Courtyard
Patient room high back chair
Maple



SC-2795 Ritz Mission
Patient room high back chair
Maple

SERIES	COM									DIMENSIONS					COM SHIP		
		2	3	4	5	6	7	8		W	D	H	SH	AH	YD	WT	CU FT
2295										34 (660)	30 (762)	45 (1143)	18 (457)	26 (660)	3.5	90	31
2395										34 (660)	30 (762)	45 (1143)	18 (457)	26 (660)	5	106	31
2495		These prices found in 2006 GSA Price List								34 (660)	30 (762)	45 (1143)	18 (457)	26 (660)	3.5	80	31
2595										35 (660)	30 (762)	45 (1143)	18 (457)	26 (660)	3.5	80	31
2695										35 (660)	30 (762)	45 (1143)	18 (457)	26 (660)	4.5	80	31
2795										35 (660)	30 (762)	45 (1143)	18 (457)	26 (660)	3.5	80	31

2200 SERIES UPTOWN EASY ACCESS CHAIR



SC-2207 Easy Access Chair

SC-2207 Easy Access Chair										DIMENSIONS						COM SHIP			CU
SERIES	COM	2	3	4	5	6	7	8	W	D	H	SH	SW/unit	AH	YD	WT	FT		
2207				These prices found in 2006 GSA Price List						24 (610)	27 (686)	38.5 (978)	24 (610)	20.25 (514)	32 (813)	2	69	21	

2400/2500 SERIES EASY ACCESS CHAIR



SC-2407 Easy Access Chair



SC-2507 Easy Access Chair

SC-2407 Easy Access Chair									SC-2507 Easy Access Chair									DIMENSIONS					COM SHIP			CU
SERIES	COM	2	3	4	5	6	7	8	W	D	H	SH	SW/unit	AH	YD	WT	FT									
2407/2507	485	526	552	577	603	630	656	682	25 (635)	27 (686)	38.5 (978)	24 (610)	20.25 (514)	32 (813)	2	59	21									

OPTIONS _____

STANDARD WOOD FINISHES

- | | |
|-----------------------|---------------------|
| Parchment | Regal |
| Natural (Clear) Maple | Castle Oak |
| Honey | English Oak |
| Nutmeg | Honduras |
| Classic | Winchester |
| Crown | Chocolate Pear Tree |







NOTE: Ritz is shipped in
components for field assembly.

Mitra Seating Series

softcare

Ordering Checklist:

- ☒ Softcare model number ☒ Wood Finish ☒ Fabric number/name/grade/color ☒ Special requirements and options
☒ Freight

	MODEL	COM	2	3	4	5	6	7	8	W	D	DIMENSIONS				SW	AH	COM	SHIP	CU
												H	SH					YD	WT	FT
	Single Chair	SIN 71-316																		
	GS-27F-0014S - Office Furniture Contract																			
	SC-6010	323	371	394	418	441	465	488	512	23.25 (591)	27.5 (699)	33 (838)	18.50 (470)	20 (508)	25.25 (641)			2	30	13
	Two Seater	SIN 711-17																		
	GS-27F-0014S - Office Furniture Contract																			
	SC-6026	550	642	688	733	778	824	869	916	44.50 (1130)	27.5 (699)	33 (838)	18.50 (470)	20 (508)	25.25 (641)			4	56	23
	Three Seater	SIN 711-17																		
	GS-27F-0014S - Office Furniture Contract																			
	SC-6036	788	926	994	1062	1130	1198	1268	1336	65.75 (1670)	27.5 (699)	33 (838)	18.50 (470)	20 (508)	25.25 (641)			6	82	37
	Bariatric Combination	SIN 71-316																		
	GS-27F-0008S - Special Use Contract																			
	SC-6046	852	990	1057	1125	1195	1263	1332	1400	75.75 (1924)	27.5 (699)	33 (838)	18.50 (470)	20 (508)	25.25 (641)			7	93	40
	Patient Chair	SIN 71-316																		
	GS-27F-0008S - Special Use Contract																			
	SC-6085	342	409	445	481	516	552	588	624	23.25 (591)	29 (737)	45 (1143)	18.50 (470)	20 (508)	25.25 (641)			2.5	32	20
	Bariatric Chair	SIN 71-316																		
	GS-27F-0008S - Special Use Contract																			
	SC 6060	387	435	458	482	505	529	552	576	33.25 (845)	27.5 (699)	33 (838)	18.50 (470)	20 (508)	25.25 (641)			3	41	21

OPTIONS





CAL 133	32.00/seat
Moisture barrier	19.00/seat
Plastisol arm cap add -P	20.00/arm cap

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	Chocolate Pear Tree

Ordering Checklist:

- ☒ Softcare model number ☒ Wood Finish ☒ Fabric number/name/grade/color ☒ Special requirements and options
☒ Freight

MODEL		COM	2	3	4	5	6	7	8	DIMENSIONS						COM	SHIP	CU	
										W	D	H	SH	SW	AH	YD	WT	FT	
	Arm Chair	SIN 711-17																	
	GS-27F-0014S - Office Furniture Contract																		
	SC-6110	542	649	720	792	862	933	1004	1076	29.25 (743)	30.25 (768)	33.75 (857)	19 (483)	23 (584)	25.25 (641)	5.25	66	18	
	Two Seat Unit																		
	GS-27F-0014S - Office Furniture Contract																		
	SC-6120	679	810	898	986	1074	1162	1250	1338	47.25 (1200)	30.25 (768)	33.75 (857)	19 (483)	41 (1041)	25.25 (641)	6.5	83	29	
	Three Seat Unit																		
	GS-27F-0014S - Office Furniture Contract																		
	SC-6130	821	978	1083	1188	1292	1397	1502	1607	65.25 (1657)	31.25 (768)	33.75 (857)	19 (483)	59 (1499)	25.25 (641)	7.75	101	40	
	Recliner	SIN 71-316																	
	GS-27F-0008S - Special Use Contract																		
	SC-6170	1319	1431	1506	1580	1654	1728	1803	1877										
	Maple Wood Armcaps									33.5 (851)	35 (889)	45.5 (1156)	18 (451)	23.5 (571)	26 (661)	5.5	112		
	GS-27F-0008S - Special Use Contract																		
	SC-6170-W	1401	1512	1587	1661	1735	1810	1884	1958										

OPTIONS

CAL 133	32.00/seat
Moisture barrier	19.00/seat
Plastisol arm cap add -P	20.00/arm cap
(For recliner add upcharge to SC-6170-W)	
Aluminum casters	180.00
(Available on Mitra recliner only) add -AC	

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	Chocolate Pear tree

Mitra Table Series

SIN 711-11

softcare

Ordering Checklist:

- ☒ Softcare model number ☒ Wood Finish ☒ Fabric number/name/grade/color ☒ Special requirements and options
☒ Freight

Freestanding Mitra Tables

Table tops are 1 inch laminate with Maple wood edge. Legs are solid Maple.



W	D	H	SHIP Wt	CU Ft
32	22	18	22	8
(813)	(559)	(457)		

SC-6055 337



W	D	H	SHIP Wt	CU Ft
32	22	18	24	8
(813)	(559)	(457)		

SC-6056 310



W	D	H	SHIP Wt	CU Ft
22	22	18	18	5
(559)	(559)	(457)		

SC-6057 283




D	H	SHIP Wt	CU Ft
22	18	17	5
(559)	(457)		

SC-6058 305

Freestanding Mitra Drum Tables

-W Table tops are 1 inch laminate with Maple wood edge. Drum base is wrapped in Maple veneer.


-HPL Table tops are 1 inch laminate with 3mm PVC edge. Drum base is wrapped in high pressure laminate



W	D	H	SHIP Wt	CU Ft
32	22	18	41	8
(813)	(559)	(457)		

SC-6155-W 563


SC-6155-HPL 563



W	D	H	SHIP Wt	CU Ft
32	22	18	47	8
(813)	(559)	(457)		

SC-6156-W 508


SC-6156-HPL 508



W	D	H	SHIP Wt	CU Ft
22	22	18	31	5
(559)	(559)	(457)		

SC-6157-W 466

SC-6157-HPL 466



DIA	H	SHIP Wt	CU Ft
22	18	29	5
(559)	(557)		

SC-6158-W 512

SC-6158-HPL 512

Mitra Replacement Components for models on page 123







		COM	2	3	4	5	6	7	8	COM YD
SC-6000-S	Standard Seat Cover	32	48	58	68	78	88	98	108	1.25
SC-6060-S	Bariatric Seat Cover	39	57	69	81	94	106	118	130	1.5
SC-6000-B	Standard Back Cover	32	48	58	68	78	88	98	108	.75
SC-6060-B	Bariatric Back Cover	39	57	69	81	94	106	118	130	1.5
SC-6085-B	Patient Chair Back Cover	49	83	99	118	133	150	167	187	1.25
SC-6000-SF	Replacement Side Frame	55								
SC-6000-WEB	Replacement Webbing (set)	10								

STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	Chocolate Pear Tree

Ordering Checklist:

☒ Softcare model number ☒ Frame color ☒ Arm cap color ☒ Fabric number/ name/ grade/ color ☒ Special requirements and options ☒ Freight

	MODEL	WOOD	COM	2	3	4	5	6	7	8	DIMENSIONS
	Whisper Stacking Armless Metal Chair Stacks 6 high (10 with dolly) SC-1060-S SC-1060-SWB (Wood back)										Width 20.25 (514) Depth 20 (508) Height 34.5 (876) Seat Ht 18 (457) COM Yardage 1 Ship Weight 14/chair Cubic Feet 20
	These prices found in 2006 GSA Price List										
	Whisper Stacking Arm Metal Chair Stacks 6 high (10 with dolly) SC-1060-A SC-1060-AWB (Wood back)										Width 23.5 (597) Depth 20 (508) Height 34.5 (876) Seat Ht 18 (457) Arm Ht 26.5 (673) COM Yardage 1 Ship Weight 16/chair Cubic Feet 20
	These prices found in 2006 GSA Price List										
	Whisper Stacking Arm Chair with front casters Stacks 6 high (10 with dolly) SC-1062 SC-1062-WB (Wood back)		129	143	156	170	183	197	210	224	Width 23.5 (597) Depth 20 (508) Height 34.5 (876) Seat Ht 18 (457) Arm Ht 26.5 (673) COM Yardage 1 Ship Weight 16/chair Cubic Feet 20
			Add 10% to upholstered chair								
									(Shipped 4/box)		
	Whisper Bariatric Stacking Arm Metal Chair Stacks 4 high SC-1065 SC-1065-WB (Wood back)										Width 31.5 (800) Depth 20 (508) Height 34.5 (876) Seat Ht 18 (457) Arm Ht 26.5 (673) COM Yardage 1.75 Ship Weight 25 Cubic Feet 20
	Whisper Easy Access Chair SC-1067 SC-1067-WB		132	145	159	172	186	199	213	227	Width 23.5 (597) Depth 20 (508) Height 40.5 (1029) Seat Ht 24 (610) Arm Ht 32.5 (826) COM Yardage 1 Ship Weight 20 Cubic Feet 20
			Add 10% to upholstered chair								
									(Shipped 1/box)		
	Whisper Bar Stool SC-1068 SC-1068-WB		132	145	159	172	186	199	213	227	Width 23.5 (597) Depth 20 (508) Height 44.5 (1130) Seat Ht 28 (711) Arm Ht 36.5 (927) COM Yardage 1 Ship Weight 22 Cubic Feet 21
			Add 10% to upholstered chair								
									(Shipped 1/box)		

OPTIONS

CAL 133	21.00/seat
Moisture barrier	20.00/seat
Ganging Brackets(SC-1080)	12.00

Frames are available in black or silver.
Arms in black or grey. Specify.

Whisper tables

SIN 711-11

Ordering Checklist:

☒ Softcare model number
 ☒ Frame color
 ☒ Top Color Selection
 ☒ Freight

MODEL			W	D	H	SHIP WT.	CU. FT.
-------	--	--	---	---	---	----------	---------

All Table tops are 3/4 inch thick with a seamless thermoformed wood grain foil and edge covering



Convex top

SC-1060-18-18**101**


18 (457)

18 (457)

18 (457)

10

5



Convex top

SC-1060-32-18**124**

32 (821)

18 (457)

18 (457)

16

8



Concave Top

SC-1061-18-18**101**


18 (457)

18 (457)

21 (533)

10

5



Concave Top

SC-1061-32-18**124**

32 (821)

18 (457)

18 (457)

16

8



Whisper Dolly

SC-1060-D

18 (457)

18 (457)

21 (533)

23

20



Whisper Bariatric Dolly

SC-1065-D

18 (457)

18 (457)

21 (533)

23

20

OPTIONS

Frame colors are Black or Silver. Please specify

STANDARD TOP COLOR SELECTIONS

 Pink Maple
 Hard Rock Maple
 Candlelight
 Pearwood

 Summer Flame
 Dark Cherry
 Mahogany
 Chocolate Pear Tree

Ordering Checklist:

- ☒ Softcare model number ☒ Fabric number/name/grade/color — Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ Freight

MODEL

COM

2

3

4


5

6


7

8

DIMENSIONS

**X-tenz Sleeper**


Removable round bolsters included

SC-8040-L or R 986 1179 1259 1422 1547 1670 1779 1908Specify opening left(L) or right(R) viewed
when facing the chair**X-tenz Sleeper**

Removable tapered bolsters included

SC-8041-L or R 986 1179 1259 1422 1547 1670 1779 1908Specify opening left(L) or right(R) viewed
when facing the chair

- Bariatric 1000 lbs capacity
- 80" x 28" sleep surface
- Foot activated release.(no bending needed)
- Steel frame construction
- Bed linen storage compartment
- Hygenic- Sit and Sleep surfaces are different

**Day Bed**

3 full extension drawers

Mattress included

Removable bolsters included

25-DB-8030 Melamine laminate**26-DB-8030** Wood veneerThese prices found in
2006 GSA Price List**Shaker Style Day Bed**

Wood veneer

Shaker style end panels and drawer fronts

3 full extension drawers

Mattress included

Two piece cylindrical bolster and base included

22-DB-8030These prices found in
2006 GSA Price List

Length 31 (787)
Width 46 (1168)
Height 31 (787)
Seat Ht 18.5 (470)
Seat depth without
bolsters 28 (711)
Seat depth with
bolsters 19 (483)
Mattress thickness
5 (127)
COM Yardage 10.5
Ship Weight 240
Shipped skidded:
Cubic Feet 46

Length 31 (787)
Width 46 (1168)
Height 31 (787)
Seat Ht 18.5 (470)
Seat depth without
bolsters 28 (711)
Seat depth with
bolsters 19 (483)
Mattress thickness
5 (127)
COM Yardage 10.5
Ship Weight 240
Shipped skidded:
Cubic Feet 46

Length 81.5 (2070)
Width 31.5 (800)
Height 34 (864)
Seat Ht 19 (484)
Seat depth without
bolsters 30 (762)
Seat depth with
bolsters 19 (483)
Mattress thickness
5 (127)
COM Yardage 8
Ship Weight 250
Shipped skidded:
Cubic Feet 200

Length 81.5 (2070)
Width 31.5 (800)
Height 34 (864)
Seat Ht 19 (484)
Seat depth without
bolsters 30 (762)
Seat depth with
bolsters 19 (483)
Mattress thickness
5 (127)
COM Yardage 9
Ship Weight 250
Shipped skidded:
Cubic Feet 200

X-TENZ SLEEPER OPTIONS

Wood Arm Caps	59.00
Specify finish from 12 standard	
Plastisol Arm Caps	40.00
Specify black, taupe or graphite	
Moisture barrier- seat/mattress only	81.00
Upholstered front kick panel add 1/2 yd	add 5%
Cal 133	153.00






STANDARD WOOD FINISHES

Parchment	Regal
Natural (Clear) Maple	Castle Oak
Honey	English Oak
Nutmeg	Honduras
Classic	Winchester
Crown	Chocolate Pear Tree

Recliners

Ordering Checklist:

- ☒ Softcare model number ☒ Fabric number/name/grade/color — Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ Freight

MODEL	COM	2	3	4	5	6	7	8	DIMENSIONS
 Inclination Recliner Rolled arms SC-2075 4" tapered nickel steel legs SC-2076 4" non marring Medical Casters  Shown as SC-2075									Width 33 (838) Depth 34 (864) Height 42 (1067) Seat Ht 18 (457) Seat Width 21 (533) Seat Depth 21 (533) Arm Ht 23 (584) Footrest Width 20.5 (521) Footrest Length 11 (279) COM Yardage 5.5 Ship Weight 84 Cubic Feet 25
 Inclination Recliner 4" tapered nickel steel legs Flat arms SC-2077 4" tapered nickel steel legs SC-2078 4" non marring Medical Casters  Shown as SC-2077 Shown with optional external lever.									Width 29 (737) Depth 34 (864) Height 42 (1067) Seat Ht 18 (457) Seat Width 21 (533) Seat Depth 21 (533) Arm Ht 23 (584) Footrest Width 20.5 (521) Footrest Length 11 (279) COM Yardage 5.5 Ship Weight 84 Cubic Feet 25
 SC-2081 3" non marring medical casters	1214	1442	1554	1668	1739	1895	2009	2122	Width 34.5 (876) Depth 36 (914) Height 46.5 (1181) Seat Ht 18 (457) Seat Width 22.5 (572) Seat Depth 20.25 (514) Arm Ht 23.5 (597) Footrest Width 22.5 (571) Footrest Length 8.5 (215) COM Yardage 5.5 Ship Weight 112 Cubic Feet 31

INCLINATION RECLINERS

Incline mechanism is controlled by a pneumatic cylinder with an infinite number of stop positions. Weight capacity is 275 lb. 65" fully extended.

OPTIONS

CAL 133	122.00
Moisture barrier	20.00/seat

SC-2077/2078 OPTIONS

Flip-up tablet arm
 Grey powder-coat finish
 Specify side or both sides.








External incline activation lever

Mounted at left rear when facing chair on SC-2077 and SC-2078 only.
 Arm caps (Maple)
 IV rod holder

Ordering Checklist:

- ☒ Softcare model number ☒ Wood and finish ☒ Fabric number/name/grade/color — Check pattern repeat. See Seating Spec. chart.
☒ Special requirements and options ☒ Freight

MODEL	WOOD	COM	2	3	4	5	6	7	8	DIMENSIONS
	Kami Dining Armless Chair									
SC-1220	Birch									Width 17 (432) Depth 21 (533) Height 36.5 (927) Seat Ht 19 (483) COM Yardage .6 Ship Weight 15 Cubic Feet 18 (2/box)
	Kami Dining Arm Chair									
SC-1222	Birch									Width 24 (610) Depth 22 (559) Height 34 (864) Seat Ht 19 (483) Arm Ht 26.5 (673) COM Yardage .75 Ship Weight 25 Cubic Feet 14
SC-1222-G	Birch									
	Allows ganging to table or chair. Requires ganging brackets below.									
SC-1222-BP	Birch									
	Optional Upholstered Back Pad Zipper removable. COM 1 yrd									
	Kami Bench									
SC-1223	Birch									Width 46.5 (1181) Depth 22 (559) Height 34 (864) Seat Ht 19 (483) Arm Ht 26.5 (673) COM Yardage 1.75 Ship Weight 41 Cubic Feet 27
SC-1223-G	Birch									
	Allows ganging to table or chair. Requires ganging brackets below.									
SC-1223-BP										
	Optional Upholstered Back Pad Zipper removable. COM 2 yrds									
	Kami Ganging Table (includes Brackets)									
SC-1225										Width 20(508) Depth 18(457) Height 19(483) Ship Weight 16 Cubic Feet 1
	Note: Ganging table shown with 2 SC-1222-G chairs not included									
	Kami Ganging Brackets									
SC-1226										
	for use with Kami ganging chairs									

OPTIONS

CAL 133 /seat
Moisture barrier /seat
Perimeter guard /leg
Specify front or back.

STANDARD WOOD FINISHES

Parchment Regal
Natural (Clear) Maple Castle Oak
Honey English Oak
Nutmeg Honduras
Classic Winchester
Crown Chocolate Pear Tree

